

# 201<sup>Q&As</sup>

TMOS Administration

## Pass F5 201 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/201.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



The screenshot shows a network configuration interface with a table of virtual servers. The table has columns for Status, Name, Application, Destination, Service Port, Type, Resources, and Partition / Path. There are four rows of data.

Status	Name	Application	Destination	Service Port	Type	Resources	Partition / Path
✓	nfs		10.10.10.0/24	80 (HTTP)	Standard	Edit	Common
✓	vs_ftp		10.10.10.1	21 (FTP)	Standard	Edit	Common
✓	vs_http		10.10.10.1	80 (HTTP)	Standard	Edit	Common
✓	vs_https		10.10.10.1	443 (HTTPS)	Standard	Edit	Common

How many nodes are represented on the network map shown?

- A. Four
- B. Three
- C. One
- D. Two

Correct Answer: B

**QUESTION 2**

Administrative user accounts have been defined on the remote LDAP server and are unable to log in to the BIG-IP device. Which log file should the BIG-IP Administrator check to find the related messages?

- A. /var/log/secure
- B. /var/log/messages
- C. /Nar/log/ltn
- D. /var/log/user.log

Correct Answer: A

**QUESTION 3**

How is MAC masquerading configured?

- A. Specify the desired MAC address for each VLAN for which you want this feature enabled.
- B. Specify the desired MAC address for each selfIP address for which you want this feature enabled.
- C. Specify the desired MAC address for each VLAN on the active system and synchronize the systems.
- D. Specify the desired MAC address for each floating selfIP address for which you want this feature enabled.

Correct Answer: A

---

#### QUESTION 4

A BIG-IP Administrator assigns the default http health monitor to a pool that has three members listening on port 80. When the administrator connects to each pool member via the CURL utility, two of the members respond with a status of 404 Not Found while the third responds with 200 OK. What will the pool show for member availability?

- A. All members offline.
- B. Two members offline and one member online.
- C. Two members online and one member offline.
- D. All members online.

Correct Answer: D

---

#### QUESTION 5

A standard virtual server is defined with a pool and a SNAT using automap. All other settings for the virtual server are at defaults. When client traffic is processed by the BIG-IP, what will occur to the IP addresses?

- A. Traffic initiated by the pool members will have the source address translated to a self-IP address but the destination address will not be changed.
- B. Traffic initiated to the virtual server will have the destination address translated to a pool member address and the source address translated to a self-IP address.
- C. Traffic initiated by selected clients, based on their IP address, will have the source address translated to a self-IP address but the destination will only be translated if the traffic is destined to the virtual server.
- D. Traffic initiated to the virtual server will have the destination address translated to a pool member address and the source address translated to a self-IP address. Traffic arriving destined to other destinations will have the source translated to a self-IP address only.

Correct Answer: B

---