

250-253^{Q&As}

Administration of Veritas Cluster Server 6.0 for Unix

Pass Symantec 250-253 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/250-253.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In a two node Veritas cluster, all Ethernet heartbeats failed simultaneously. I/O fencing and link- lowpri heartbeat are yet to be configured.

What is the resulting condition of this problem?

- A. Split-cluster
- B. Jeopardy
- C. Split-brain
- D. Panic

Correct Answer: C

QUESTION 2

An administrator has a three-node cluster.

The cluster manages an application that depends on a database. The application and database can be online on the same or a different node. If the database faults, the application must continue to be online. Which type of service group dependency should be created to ensure this behavior?

- A. Online global soft, where the application is the parent
- B. Online global soft, where the database is the parent
- C. Online global firm, where the application is the parent
- D. Online global firm, where the database is the parent

Correct Answer: A

QUESTION 3

An administrator is responsible for a cluster split between two data centers in different locations. The data is mirrored between the two sites.

If the administrator would like to set up I/O fencing, how should the configuration be deployed to maximize resilience?

- A. One SCSI-3 coordinator disk at the primary site, one coordinator disk at the secondary site, and a Coordination Point Server at a third site
- B. Two SCSI-3 coordinator disks at the primary site and one coordinator disk at the secondary site
- C. One SCSI-3 coordinator disk at the primary site and two coordinator disks at the secondary site
- D. One Coordination Point Server at the primary site, and one Coordination Point Server at the secondary site, and one Coordination Point Server at a third site

Correct Answer: A

QUESTION 4

There is a two-node Veritas cluster with two independent heartbeat connections, and fencing is disabled. What happens when one of the heartbeat connections is lost?

- A. The cluster will disable service group failover on system fault.
- B. The cluster will be fully functional, but will be unsupported.
- C. The cluster will automatically configure a low-pri heartbeat over the public net.
- D. The cluster will take all service groups offline until both heartbeats are restored.

Correct Answer: A

QUESTION 5

Under normal conditions, Veritas Cluster Server agents are started and stopped automatically. Which command is required to manually start an agent?

- A. hatype
- B. haagent
- C. hastart
- D. hares

Correct Answer: B

[250-253 PDF Dumps](#)

[250-253 VCE Dumps](#)

[250-253 Exam Questions](#)