

299-01^{Q&As}

Riverbed Certified Solutions Professional - Network Performance Management

Pass Riverbed 299-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/299-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

On an Enterprise Profiler, which Cascade software module usually runs on hardware with another software module, but can be placed on its own hardware to support extremely large clusters?

- A. Event Manager
- B. Dispatcher
- C. User Interface
- D. Database

Correct Answer: B

QUESTION 2

What is a good way to know whether all internal IP addresses seen by the Cascade Profiler have been grouped in a particular group type?

- A. Run Automatic grouping for all group types.
- B. Configure an Undefined group type with definition 0.0.0.0/0; confirm there are no entries when you '\\view members\\' of this '\\Undefined\\' group\\'.
- C. There is no way to do this and successfully capture all the IP addresses.
- D. Configure an Undefined group type with definition 0.0.0.0/32.
- E. Run a report by hosts and look for undefined groups.

Correct Answer: B

QUESTION 3

Which TCP port is used for Cascade Profiler web based management interfaces?

- A. 80/tcp
- B. 8080/tcp
- C. 8090/tcp
- D. 443/tcp
- E. 22/tcp

Correct Answer: D

QUESTION 4

How are trace clips created in Cascade Pilot? (Select 2)

- A. Select a Capture Job, right-click, and select "Create Trace Clip".
- B. Drag a bar from a Bar Chart to the Capture Job.
- C. Click the + button in the Capture Job item and select a time window.
- D. Select a time window and apply a Cascade Pilot filter.

Correct Answer: AC

QUESTION 5

A SPAN port is often limited in which way:

- A. Can only capture traffic from a single port.
- B. Can only capture traffic that is routed (not switched)
- C. Can only capture traffic that is ingress or received by the device
- D. The number that can be configured is oftentimes limited to two
- E. Requires at least two monitoring ports to capture a single link

Correct Answer: D

[299-01 VCE Dumps](#)

[299-01 Study Guide](#)

[299-01 Exam Questions](#)