

# 2V0-602<sup>Q&As</sup>

VMware vSphere 6.5 Foundations

## Pass VMware 2V0-602 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/2v0-602.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

Which two files create a virtual disk? (Choose two.)

- A. -flat.vmdk
- B. .vmdk
- C. .vmsd
- D. .nvram

Correct Answer: AB

---

### QUESTION 2

An administrator has recently installed a new ESXi 6.x Host, and during the configuration notices sporadic network problems. To check whether the issue occurred sometime during the configuration, the administrator would like to reset the system.

How can this be accomplished in the shortest amount of time?

- A. Run the ESXi installer again and reinstall the host.
- B. Select the Reset System Configuration option from the vSphere Client when connected directly to the host.
- C. From the Direct Console User Interface, select Reset System Configuration.
- D. Use a host profile to reset the configuration to a default state.

Correct Answer: C

---

### QUESTION 3

An ESXi host has limited network connectivity.

What three troubleshooting steps can a vSphere Administrator take? (Choose three.)

- A. Verify that all NICs are configured to support the promiscuous mode.
- B. Verify that portfast (or equivalent) is enabled on all the physical switch ports that the ESXi host is connected to.
- C. Verify that the speed and duplex of the network links are consistent.
- D. Use ESXCLI to verify that the virtual switch NIC teaming is properly set.
- E. Verify that all NICs connected to the same ToR switch are part of the same LAG.


Correct Answer: BCD

---

**QUESTION 4**

Refer to the Exhibit. A storage administrator is not seeing full utilization of all bandwidth from an ESXi host. The vSphere administrator observes the adapter details, as shown in the Exhibit.

Adapter Details



The screenshot shows the 'Adapter Details' window in vSphere. It has tabs for 'Properties', 'Devices', and 'Paths'. Below the tabs are 'Enable' and 'Disable' buttons. A table lists four paths with their runtime names, targets, LUNs, and statuses.

Runtime Name	Target	LUN	Status
vmhba2:C0:T3:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active (I/O)
vmhba2:C0:T2:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active (I/O)
vmhba2:C0:T1:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Disabled
vmhba2:C0:T0:L0	50:06:01:60:c7:20:6a:a4 50:06:0...	0	Active

What is the probable cause of this issue?

- A. Another path needs to be used to allow full utilization of the bandwidth.
- B. The array is not setup to use the correct multipathing policy.
- C. There are no virtual machines on the host.
- D. No traffic is being sent across it because a path failed.

Correct Answer: D

**QUESTION 5**

Which two options are requirements to perform a migration between vCenter Server instances? (Choose two.)

- A. The vCenter Server servers must be time-synchronized.
- B. The ESXi hosts must be version 5.5 or later.
- C. The vCenter Servers must be version 6.0 or later.
- D. The vCenter Server must be in the same single Sign-On domain.
- E. The ESXi hosts must have vSphere Standard, Advanced, or Enterprise Plus licensing.

Correct Answer: AC

[2V0-602 PDF Dumps](#)

[2V0-602 Practice Test](#)

[2V0-602 Study Guide](#)