

2V0-622^{Q&As}

VMware Certified Professional 6.5 – Data Center Virtualization (6.5)
Exam

Pass VMware 2V0-622 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/2v0-622.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Virtual machines that are known to run read-intensive applications have begun to underperform. Which action can improve performance?

- A. Enable vFlash Read Cache.
- B. Migrate virtual machines to a VMFS6 datastore.
- C. Ensure that DRS is in manual mode.
- D. Disable virtual machine encryption.

Correct Answer: A

QUESTION 2

vCenter HA Requirements

Component	Requirements
ESXi	<ul style="list-style-type: none">• ESXi 5.5 or later is required.• Three hosts are strongly recommended. Each vCenter HA node can then run on a different host for better protection.• Using VMware DRS to protect the set of hosts is recommended. In that case, a minimum of three ESXi hosts is required.
vCenter Server Appliance	<ul style="list-style-type: none">• vCenter Server 6.5 is required.• Deployment size Small (4 CPU and 16GB RAM) or bigger is required to meet the RTO. Do not use Tiny in production environments.• vCenter HA is supported and tested with VMFS, NFS, and vSAN datastores.

Which three options are available for remediation with Proactive HA? (Choose three.)

- A. Quarantine mode for moderate and Power off for severe failure.
- B. Quarantine mode for all failures.
- C. Power off for all failures.
- D. Quarantine mode for moderate and Maintenance mode for severe failure.
- E. Maintenance mode for all failures.

Correct Answer: BDE

QUESTION 3

Which additional vCenter Server feature must be configured for DRS to balance workloads?

- A. vSphere HA
- B. Resource Pools
- C. vMotion
- D. Proactive HA

Correct Answer: C

QUESTION 4

Which two statements are true for NFS v4.1 firewall behavior? (Choose two.)

- A. It closes port 2049.
- B. It opens port 2049.
- C. It sets allowedAll flag to TRUE.
- D. It sets allowedAll flag to FALSE.

Correct Answer: BC

NFS v4.1 Firewall Behavior When you mount the first NFS v4.1 datastore, ESXI enables the nfs41client rule set and sets its allowedAll flag to TRUE. This action opens port 2049 for all IP address. Unmounting an NFS v4.1 datastore does not affect the firewall state. That is, the first NFS v4.1 mount opens port 2049 and that port remains enabled unless you close it explicitly.



	Label	Incoming Ports	Outgoing Ports	Protocols	Daemon
<input checked="" type="checkbox"/>	SynologyNasPlugin	2049	2049,111	TCP,UDP	N/A

QUESTION 5

A company has requested that a plan for Auto Deploy be built using VMware-recommended best practices for networking.

Which two considerations adhere to VMware-recommended networking best practices for Auto Deploy?

(Choose two.)

- A. Using IPv4 as Auto Deploy will be able to boot hosts with a legacy BIOS.
- B. Using DHCP reservations for address allocations because providing fixed IP addresses through host customization is not supported.
- C. Using VLANs on the management network as it offers increased performance while hosts are booting.
- D. Using IPv6 as Auto Deploy will be able to boot hosts with a legacy BIOS and UEFI.
- E. Using DHCP reservations for address allocations because providing fixed IP addresses through host customization is not recommended.

Correct Answer: AE

PXE booting with legacy BIOS firmware is possible only over IPv4. PXE booting with UEFI firmware is possible with either IPv4 or IPv6. Use DHCP reservations for address allocation. Fixed IP addresses are supported by the host customization mechanism, but providing input for each host is not recommended

[2V0-622 PDF Dumps](#)

[2V0-622 VCE Dumps](#)

[2V0-622 Practice Test](#)