2V0-72.22^{Q&As}

Professional Develop VMware Spring

Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/2v0-72-22.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

![Pass2Lead](https://Pass2Lead.com)
QUESTION 1

Which two use cases can be addressed by the method level security annotation @PreAuthorize? (Choose two.)

A. Allow access to a method based on user identity.

B. Allow access to a method based on the returned object.

C. Allow access to a method based on HTTP method.

D. Allow access to a method based on request URL.

E. Allow access to a method based on roles.

Correct Answer: CE

Reference: https://docs.spring.io/spring-security/site/docs/5.2.11.RELEASE/reference/html/ authorization.html

QUESTION 2

Which three dependencies are provided by the spring-boot-starter-test? (Choose three.)

A. Cucumber

B. Hamcrest

C. spring-test

D. Junit

E. EasyMock

F. PowerMock

Correct Answer: BDE

Reference: https://www.baeldung.com/spring-boot-testing

QUESTION 3

Which two options are REST principles? (Choose two.)

A. RESTful applications use a stateless architecture.

B. RESTful application use HTTP headers and status codes as a contract with the clients.

C. RESTful applications cannot use caching.

D. RESTful application servers keep track of the client state.

E. RESTful applications favor tight coupling between the clients and the servers.

Correct Answer: AB

QUESTION 4

Which following statements are true about Spring Data? (Choose two.)

A. Spring Data implementations exist for many data storage types, such as MongoDB, Neo4j, and Redis.

B. Spring Data works by applying the JPA annotations to data stores such as MongoDB, Neo4j, and Redis.

C. Spring Data can greatly reduce the amount of "boilerplate" code typically needed for data access.

D. Spring Data is specifically designed for JPA, JDBC, and relational database access only.

E. Spring Data cannot be used together with Spring MVC.

Correct Answer: CD

Reference: https://docs.spring.io/spring-data/data-commons/docs/1.6.1.RELEASE/reference/html/ repositories.html

---

QUESTION 5

Which two statements are correct regarding the Health Indicator status? (Choose two.)

A. The last status in a sorted list of HealthIndicators is used to derive the final system health.

B. The status with the least severity is used as the top-level status.

C. Custom status values can be created.

D. The built-in status values are DOWN, OUT_OF_SERVICE, UNKNOWN, and UP in decreasing order of severity.

E. The severity order cannot be changed due to security reasons.

Correct Answer: CD

Reference: https://docs.spring.io/spring-boot/docs/1.5.x/reference/html/production-ready-endpoints.html

[Latest 2V0-72.22 Dumps](#)   [2V0-72.22 VCE Dumps](#)   [2V0-72.22 Practice Test](#)