300-115 Q&As

Implementing Cisco IP Switched Networks

Pass Cisco 300-115 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/300-115.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

- **Instant Download** After Purchase
- **100% Money Back** Guarantee
- **365 Days** Free Update
- **800,000+** Satisfied Customers

QUESTION 1

Which VLAN range is eligible to be pruned when a network engineer enables VTP pruning on a switch?

A. VLANs 1-1001

B. VLANs 1-4094

C. VLANs 2-1001

D. VLANs 2-4094

Correct Answer: C

VTP pruning should only be enabled on VTP servers, all the clients in the VTP domain will automatically enable VTP pruning. By default, VLANs 2 1001 are pruning eligible, but VLAN 1 can\\'t be pruned because it\\'s an administrative VLAN. Both VTP versions 1 and 2 supports pruning.

Reference: http://www.orbit-computer-solutions.com/VTP-Pruning.php

QUESTION 2

Refer to the exhibit. You can change the SDM template to maximize the number of supported MAC addresses. You noticed that the switch routing performance has been significantly degraded. Which action do you take to correct the problem?

```
================================START EXHIBIT================================
#show sdm prefer
The current template is the selected template optimizes the resources on the
switch to support this level of features for a routed interface and 1024.

number of unicast MAC addresses
number of igmp groups
number of multicast routes 0
number of unicast routes 0
number of policy based routing access 0
number of qos access 512
number of security access
================================END EXHIBIT==================================
```

www.Pass4Lead.com

A. Configure sdm prefer vlan

B. Configure sdm prefer routing

C. Execute clear ip route command to reset the routing table.

D. Configure sdm prefer default

Correct Answer: D

QUESTION 3

Which two statements about GLBP are true? (Choose two.)

A. The AVF responds to ARP request for the virtual IP address.

B. The LAN client traffic is handled by the active AVF only.

C. The AVG assigns virtual MAC addresses to GLBP group members.

D. The AVF assigns virtual MAC addresses to GLBP group members.

E. The AVG responds to ARP requests for the virtual IP address.

Correct Answer: CE

QUESTION 4

A question about voice VLAN with the possibility of two answers. (Choose two.)

A. The voice VLAN must be on a different VLAN database.

B. The voice VLAN must be configured on a trusted port.

C. The voice VLAN must be configured on an untrusted port.

D. The voice VLAN must be on the same VLAN database.

Correct Answer: AB

QUESTION 5

Your company wants to connect an internal switch to the uplink provider switch. What method / feature / functions you need to enable to prevent initial / potential broadcast of internal information/topology? (forgot the correct wording)

A. BPDU Filter

B. BPDU Guard

C. BPDU Loop

D. BPDU bridge

Correct Answer: A

300-115 Study Guide 300-115 Exam Questions 300-115 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © pass4lead, All Rights Reserved.