



300-208^{Q&As}

Implementing Cisco Secure Access Solutions

Pass Cisco 300-208 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/300-208.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which advanced authentication setting is needed to allow an unknown device to utilize Central WebAuth?

- A. If Authentication failed > Continue
- B. If Authentication failed > Drop
- C. If user not found > Continue
- D. If user not found > Reject

Correct Answer: C

QUESTION 2

Which command used to enable SGACL globally on a router interface?

- A. cts role-based-basic
- B. cts role-based-enable
- C. cts role-based-enforcement
- D. cts role-based monitor permissions from { sgt_num } to { dgt_num }][ipv4 | ipv6]

Correct Answer: C

QUESTION 3

Scenario:


Currently, many users are experiencing problems using their AnyConnect NAM supplicant to login to the network. The network support staff have already examined and verified the AnyConnect NAM configuration is correct. In this simulation,

you are tasked to examine the various ISE GUI screens to determine the ISE current configurations to help isolate the problems. Based on the current ISE configurations, you will need to answer three multiple choice questions.

To access the ISE GUI, click on the ISE icon in the topology diagram to access the ISE GUI. Not all the ISE GUI screens are operational in this simulation and some of the ISE GUI operations have been reduced in this simulation. Not all the

links on each of the ISE GUI screens work, if some of the links are not working on a screen, click Home to go back to the Home page first. From the Home page, you can access all the required screens. To view some larger GUI screens, use

the simulation window scroll bars. Some of the larger GUI screens only show partially but will include all information required to complete this simulation.



The screenshot shows the Cisco Identity Services Engine (ISE) management console. The top navigation bar includes "Home", "Operations", "Fully", and "Administration". The main dashboard displays several key metrics and sections:

- Metrics:** Total Endpoints: 5, Active Endpoints: 2, Active Guests: 0, Profiled Endpoints: 5.
- System Summary:** A table showing system components like "ice" with utilization and latency data.
- Alarms:** A list of system events such as "Configuration Changed", "Authentication Inactivity", and "Insufficient Virtual Machin...".
- Authentications:** Summary showing 12 Passed and 74 Failed authentications.
- Profiler Activity:** Shows a total of 9 activities.
- Posture Compliance:** Shows a total of 0 non-compliant devices.



Determine which can be two reasons why many users like the Sales and FT users are not able to authenticate and access the network using their AnyConnect NAM client with EAP-FAST.(Choose two.)

- A. The Dot1X authentication policy is not allowing the EAP-FAST protocol.
- B. The rr_Corp authorization profile has the wrong Access Type configured.
- C. The authorization profile used for the Sales users is misconfigured.
- D. The order for the MAB authentication policy and the Dot1X authentication policy should be reversed.
- E. Many of the FT Sales and FT user machines are not passing the ISE posture assessment.
- F. The PERMr_ALL_TRAFFIC DACL is missing the permit ip any any statement at the end.
- G. The Employee_FullAccess_DACL DACL is missing the permit ip any any statement at the end.

Correct Answer: AD

QUESTION 4

How does the use of single connect mode for device authentication improve performance?

- A. It uses a single TCP connection for all TACACS+ communication.
- B. It uses a single VIP on the network access device.
- C. It uses a single TCP connection for all RADIUS communication.
- D. It multiplexes RADIUS requests to the server over a single session.

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/td/docs/security/ise/2-1/admin_guide/b_ise_admin_guide_21/b_ise_admin_guide_20_chapter_0100010.html

QUESTION 5

Which command or command sequence can you enter to configure a DACL on the Cisco ISE?

- A. ip access-list extended 101 permit ip any any
- B. access-list 101 permit ip any any
- C. ip access-list standard 99 permit ip any
- D. permit ip any any

Correct Answer: A



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.