

300-415^{Q&As}

Implementing Cisco SD-WAN Solutions (ENSDWI)

Pass Cisco 300-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

DRAG DROP


Drag and drop the attributes from the left that make each transport location unique onto the right.

Not all options are used.

Select and Place:

VPN	target 1
color	target 2
service	target 3
IP address	
encapsulation	

Correct Answer:



QUESTION 2

Which value is verified in the certificates to confirm the identity of the device?

- A. Serial Number
- B. OTP
- C. System-IP
- D. Chassis-ID

Correct Answer: A

<https://www.cisco.com/c/en/us/td/docs/routers/sdwan/configuration/sdwan-xe-gs-book/manage-certificates.html>

QUESTION 3

The network administrator is configuring a QoS scheduling policy on traffic received from transport side tunnels on WAN Edge 5000 routers at location 406141498 Which command must be configured on these devices?

- A. cloud-qos
- B. service qos
- C. cloud-mis qos

D. mis qos

Correct Answer: A

QUESTION 4

Which device information is required on PNP/ZTP to support the zero touch onboarding process?


- A. serial and chassis numbers
- B. interface IP address
- C. public DNS entry
- D. system IP address

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/solutions/CVD/SDWAN/sd-wan-wan-edge-onboarding-deploy-guide-2020jan.pdf>

QUESTION 5

Refer to the exhibit.



An administrator is configuring a policy in addition to an existing hub-and-spoke policy for two sites that should directly communicate with each other. How is this policy configured?

- A. hub-and-spoke
- B. mesh
- C. import existing topology
- D. custom control (route and TLOC)

Correct Answer: D

https://www.cisco.com/c/en/us/td/docs/routers/sdwan/configuration/policies/vedge/policies-book/controlpolicies.html#id_107219

[Latest 300-415 Dumps](#)

[300-415 VCE Dumps](#)

[300-415 Braindumps](#)