

300-415^{Q&As}

Implementing Cisco SD-WAN Solutions (ENSDWI)

Pass Cisco 300-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A voice packet requires a latency of 50 msec. Which policy is configured to ensure that a voice packet is always sent on the link with less than a 50 msec delay?

- A. localized data
- B. centralized control
- C. localized control
- D. centralized data

Correct Answer: D

<https://www.cisco.com/c/en/us/td/docs/routers/sdwan/configuration/policies/ios-xe-17/policies-book-xe/application-aware-routing.html>

QUESTION 2

Which two resource data types are used to collect information for monitoring using REST API in Cisco SD-WAN? (Choose two.)

- A. POST
- B. PUT
- C. scalar
- D. array
- E. DELETE

Correct Answer: CD

QUESTION 3

Which alarm setting is configured to monitor serious events that affect, but do not shut down, the operation of a network function?

- A. Critical
- B. Medium
- C. Major
- D. Minor

Correct Answer: C

Reference: https://sdwan-docs.cisco.com/Product_Documentation/vManage_How-Tos/Troubleshooting/Monitor_Alarms

QUESTION 4

What is the default value for the Multiplier field of the BFD basic configuration in vManage?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: A

QUESTION 5

A network administrator is configuring VRRP to avoid a traffic black hole when the transport side of the network is down on the master device. What must be configured to get the fastest failover to standby?

- A. lower timer interval
- B. prefix-list tracking
- C. higher group ID number
- D. OMP tracking

Correct Answer: B

[300-415 PDF Dumps](#)

[300-415 Practice Test](#)

[300-415 Study Guide](#)