

300-430^{Q&As}

Implementing Cisco Enterprise Wireless Networks (ENWLSI)

Pass Cisco 300-430 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-430.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An engineer has many different WLANs on a WLC but does not want to broadcast them to every AP in the building. Which group must be configured on the WLC to allow different WLANs on the different APs without creating new interfaces?

- A. ACL
- B. interface group
- C. mobility group
- D. AP group

Correct Answer: D

QUESTION 2

When using a Cisco Catalyst 9800 Series Wireless Controller, which statement about AutoQoS is true?

- A. It has a set of predefined profiles that you cannot modify further
- B. It matches traffic and assigns each matched packet to QoS groups
- C. It automates deployment of wired QoS and makes wireless QoS implementation easier
- D. It allows the output policy map to put specific QoS queues into specific subgroups

Correct Answer: B

QUESTION 3

All APs are receiving multicast traffic, instead of only the APs that need it. What is the cause of this problem?

- A. The multicast group includes all APs
- B. The wrong multicast address was used
- C. The multicast group is assigned the wrong VLAN
- D. Multicast IGMP snooping is not enabled

Correct Answer: D

https://www.cisco.com/c/en/us/td/docs/wireless/controller/74/configuration/guides/consolidated/b_cg74_CONSOLIDATED/b_cg74_CONSOLIDATED_chapter_01011.html

QUESTION 4

When configuring a Cisco WLC, which CLI command adds a VLAN with VLAN ID of 30 to a FlexConnect group named BranchA-FCG?

- A. config flexconnect BranchA-FCG vlan 30 add
- B. config flexconnect group BranchA-FCG vlan add 30
- C. config flexconnect group BranchA-FCG vlan 30 add
- D. config flexconnect BranchA-FCG vlan add 30

Correct Answer: B

QUESTION 5

An engineer wants to configure WebEx to adjust the precedence and override the QoS profile on the WLAN. Which configuration is needed to complete this task?

- A. Change the WLAN reserved bandwidth for WebEx
- B. Create an AVC profile for WebEx
- C. Create an ACL for WebEx
- D. Change the AVC application WebEx-app-sharing to mark

Correct Answer: B

webex-app-sharing is for sharing traffic only (doesn't include webex-audio or webex-video) for streaming.
https://www.cisco.com/c/en/us/td/docs/wireless/controller/technotes/7-5/AVC_dg7point5.html

[Latest 300-430 Dumps](#)

[300-430 VCE Dumps](#)

[300-430 Brindumps](#)