

300-430^{Q&As}

Implementing Cisco Enterprise Wireless Networks (ENWLSI)

Pass Cisco 300-430 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-430.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

After receiving an alert about a rogue AP, a network engineer logs into Cisco Prime Infrastructure and looks at the floor map where the AP that detected the rogue is located. The map is synchronized with a mobility services engine that determines that the rogue device is actually inside the campus. The engineer determines that the rogue is a security threat and decides to stop it from broadcasting inside the enterprise wireless network. What is the fastest way to disable the rogue?

- A. Go to the location where the rogue device is indicated to be and disable the power.
- B. Create an SSID similar to the rogue to disable clients from connecting to it.
- C. Update the status of the rogue in Cisco Prime Infrastructure to contained.
- D. Classify the rogue as malicious in Cisco Prime Infrastructure.

Correct Answer: C

QUESTION 2

A wireless network has been implemented to enable multicast video to be streamed reliably over the wireless link to the wireless users. After a client reports that the video is unable to stream, the administrator determines that the client is connecting at a data rate of 12 Mbps and is trying to stream to a valid multicast address on the network. Which two actions must be applied? (Choose two.)

- A. Turn off IGMP snooping for all the configured WLANs on the controller.
- B. Implement video-stream for the multicast video on the controller.
- C. Allow multicast-direct to work correctly and multicast-direct to be enabled globally.
- D. Change the WLAN QoS value to Bronze for the WLAN that multicast will be enabled.
- E. Allow RTSP to stream the video due to wireless multicast not using acknowledgements.

Correct Answer: BC

QUESTION 3

A multitenant building contains known wireless networks in most of the suites. Rogues must be classified in the WLC. How are the competing wireless APs classified?

- A. adhoc
- B. friendly
- C. malicious
- D. unclassified

Correct Answer: B

QUESTION 4

An engineer has implemented advanced location services for a retail wireless deployment. The marketing department wants to collect user demographic information in exchange for guest WLAN access and to have a customized portal per location hosted by the provider. Which social connector must be tied into Cisco CMX to provide this service?

- A. Gmail
- B. Google+
- C. Facebook
- D. MySpace

Correct Answer: C

QUESTION 5

An engineer must run a Client Traffic Stream Metrics report in Cisco Prime Infrastructure. Which task must be run before the report?

- A. scheduled report
- B. radio performance
- C. client status
- D. software

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/net_mgmt/prime/infrastructure/2-0/user/guide/prime_infra_ug/refs.html

[300-430 VCE Dumps](#)

[300-430 Exam Questions](#)

[300-430 Braindumps](#)