

# 300-535<sup>Q&As</sup>

Automating and Programming Cisco Service Provider Solutions  
(SPAUTO)

**Pass Cisco 300-535 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-535.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

```
"request": {  
  "url": "http://{{server}}:{{port}}/restconf/data/l3vpn:vpn/l3vpn=test",  
  "method": "POST",  
<snip>
```

Refer to the exhibit. An automation engineer has created a RESTCONF POST to configure network devices. Which two tasks are accomplished when the code is executed? (Choose two.)

- A. If the specified configuration is already in the running configuration, the command is replaced by this request.
- B. If the specified configuration is already in the running configuration, the command is not replaced by this request.
- C. If the specified configuration is already executed in the running configuration, the command is merged with this request.
- D. If the specified configuration is already in the running configuration, the command updates this request.
- E. If the specified configuration is not on the device, the POST request creates it.

Correct Answer: DE

**QUESTION 2**

Which command configures the remote peer when the Cisco IOS XR Traffic Controller is used?

- A. peer-sync ipv4 192.168.0.3
- B. state ipv4 192.168.0.3
- C. peer ipv4 192.168.0.3
- D. state-sync ipv4 192.168.0.3

Correct Answer: D

Reference: [https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r6-2/segment-routing/configuration/guide/b-segment-routing-cg-asr9000-62x/b-seg-routing-cg-asr9000-62x\\_chapter\\_01001.html](https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r6-2/segment-routing/configuration/guide/b-segment-routing-cg-asr9000-62x/b-seg-routing-cg-asr9000-62x_chapter_01001.html)

**QUESTION 3**

What is a key feature of YANG?

- A. use identification
- B. error prediction
- C. JAVA compatibility

D. reusable types and groupings

Correct Answer: D

Reference: [https://www.cisco.com/c/en/us/td/docs/optical/ncs1000/60x/b\\_Datamodels\\_cg\\_ncs1000/b\\_Datamodels\\_cg\\_ncs1000\\_chapter\\_00.html](https://www.cisco.com/c/en/us/td/docs/optical/ncs1000/60x/b_Datamodels_cg_ncs1000/b_Datamodels_cg_ncs1000_chapter_00.html)

#### QUESTION 4

```
<operation> /<api-entry>/<path>?<query>#<fragment>
```

Refer to the exhibit. Which two URI entries are optional and functional in this RESTCONF URI structure? (Choose two.)

A. fragment

B. query

C. operation

D. api-entry

E. path

Correct Answer: BE

Reference: <https://www.ciscolive.com/c/dam/r/ciscolive/apjc/docs/2016/pdf/DEVNET-1081.pdf> page 25

#### QUESTION 5

After a configuration request is sent using NETCONF, which call releases any locks and resources associated with the session?

A.

B.

C.

D.

Correct Answer: C

Reference: <https://tools.ietf.org/html/rfc6241>

[300-535 VCE Dumps](#)

[300-535 Study Guide](#)

[300-535 Exam Questions](#)