

# 300-625<sup>Q&As</sup>

Implementing Cisco Storage Area Networking (DCSAN)

## Pass Cisco 300-625 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-625.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

After user account attributes are modified in Cisco NX-OS, when do changes to the user's session attributes take effect?

- A. immediately
- B. at the scheduled time
- C. when the user logs out of a session
- D. when the user creates a new session

Correct Answer: D

---

### QUESTION 2

A storage network engineer must configure a 48-port Cisco MDS switch to reject any login requests to VSAN 10 from unauthorized Fibre Channel devices and switches. All the devices that were already logged in to the switch from this VSAN must be allowed without any manual configuration. Which configuration must be applied?

- A. `switch(config)# feature port-security switch(config)# port-security activate vsan 10`
- B. `switch(config)# feature port-security switch(config)# port-security activate vsan 10 no auto-learn`
- C. `switch(config)# feature port-security switch(config)# port-security database vsan 10 switch(config-port-security)# any-wwn interface fc1/1 ?fc1/48`
- D. `switch(config)# port-security activate vsan 10`

Correct Answer: D

---

### QUESTION 3

A network engineer is configuring a Cisco MDS switch for FCoE. Which two conditions must be considered during the implementation phase? (Choose two.)

- A. On Cisco MDS switches, system-defined class maps for class-FCoE and class-default are enabled but can be deleted.
- B. The QoS policy must be identical to other Cisco FCoE switches in the network.
- C. On the Cisco MDS, the MTU is set equal to 2112.
- D. VLAN 1 or the native VLAN can be mapped to an FCoE VSAN.
- E. FCoE is already enabled on a Cisco MDS switch.

Correct Answer: BE

---

**QUESTION 4**

An engineer is configuring a SAN environment and attempts to activate a zoneset, but a lock is held by another user. Which argument does the engineer use to clear the lock from the zoning database configuration?

- A. commit
- B. abort
- C. clear
- D. force

Correct Answer: C

---

**QUESTION 5**

Refer to the exhibit.

```
switch-1 (config)# zoneset name Zone-B vsan 100  
Zoning database update is progress, command rejected
```

Which command is used to determine which switch has the lock?

- A. show fcs ie vsan
- B. show zoneset active
- C. show zone status
- D. show flogi database

Correct Answer: C

[300-625 VCE Dumps](#)

[300-625 Practice Test](#)

[300-625 Exam Questions](#)