

300-730^{Q&As}

Implementing Secure Solutions with Virtual Private Networks (SVPN)

Pass Cisco 300-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-730.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When deploying a site-to-site VPN, what must be used to minimize IP fragmentation?

- A. IKE version 1
- B. ISAKMP over UDP 500
- C. Dead Peer Detection
- D. Path MTU Discovery

Correct Answer: D

QUESTION 2

Which command shows the smart default configuration for an IPsec profile?

- A. show run all crypto ipsec profile
- B. ipsec profile does not have any smart default configuration
- C. show smart-defaults ipsec profile
- D. show crypto ipsec profile default

Correct Answer: D

QUESTION 3

Which command must be configured on the tunnel interface of a FlexVPN spoke to receive a dynamic IP address from the hub?

- A. ip address negotiated
- B. ip unnumbered
- C. ip address dhcp
- D. ip address pool

Correct Answer: B

QUESTION 4

Refer to the exhibit.

HUB configuration:

```
crypto ikev2 profile default
  match identity remote fqdn domain cisco.com
  identity local fqdn hub.cisco.com
  authentication local rsa-sig
  authentication remote pre-shared-key cisco
  pki trustpoint CA
  aaa authorization group cert list default default
  virtual-template 1
```

SPOKE 1 configuration:

```
crypto ikev2 profile default
  match identity remote fqdn domain cisco.com
  identity local fqdn spoke.cisco.com
  authentication local rsa-sig
  authentication remote pre-shared-key cisco
  pki trustpoint CA
  aaa authorization group cert list default default
  virtual-template 1
```

SPOKE 2 configuration:

```
crypto ikev2 profile default
  match identity remote fqdn domain cisco.com
  identity local fqdn spoke2.cisco.com
  authentication local pre-shared-key flexvpn
  authentication remote rsa-sig
  pki trustpoint CA
  aaa authorization group cert list default default
  virtual-template 1
```

What is a result of this configuration?

- A. Spoke 1 fails the authentication because the authentication methods are incorrect.
- B. Spoke 2 passes the authentication to the hub and successfully proceeds to phase 2.
- C. Spoke 2 fails the authentication because the remote authentication method is incorrect.
- D. Spoke 1 passes the authentication to the hub and successfully proceeds to phase 2.

Correct Answer: A

QUESTION 5

What uses an Elliptic Curve key exchange algorithm?

- A. ECDSA
- B. ECDHE
- C. AES-GCM
- D. SHA

Correct Answer: B

Reference: <https://blog.cloudflare.com/a-relatively-easy-to-understand-primer-on-elliptic-curve-cryptography/>

[300-730 PDF Dumps](#)

[300-730 Practice Test](#)

[300-730 Exam Questions](#)