

# 300-735<sup>Q&As</sup>

Automating and Programming Cisco Security Solutions (SAUTO)

## Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-735.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Refer to the exhibit.

```
import requests

API_KEY = "123456789abcdef"

URL = "https://example.observbl.com/api/v3/alerts/alert/"

HEADERS = {"Authorization": "Bearer {}".format(API_KEY)}

response = requests.get(URL, headers=HEADERS)
```

A security engineer created a script and successfully executed it to retrieve all currently open alerts. Which print command shows the first returned alert?

- A. `print(response[data][0])`
- B. `print(response[results][0])`
- C. `print(response.json()[data][0])`
- D. `print(response.json()[results][0])`

Correct Answer: A

### QUESTION 2

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

- A. `/tenants/{tenantId}/policy/system/host-policy`
- B. `/tenants/{tenantId}/policy/system/role-policy`
- C. `/tenants/{tenantId}/policy/system`
- D. `/tenants/{tenantId}/policy/system/{policyId}`

Correct Answer: A

### QUESTION 3

Refer to the exhibit.

```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/destinations/www.cisco.com/activity'
HEADERS = {'Authorization': 'Basic aGVsb29oYXVlYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

The script outputs too many results when it is queried against the Cisco Umbrella Reporting API.

Which two configurations restrict the returned result to only 10 entries? (Choose two.)

- A. Add params parameter in the get and assign in the {"return": "10"} value.
- B. Add ?limit=10 to the end of the URL string.
- C. Add params parameter in the get and assign in the {"limit": "10"} value.
- D. Add ?find=10 to the end of the URL string.
- E. Add ?return=10 to the end of the URL string.

Correct Answer: BC

#### QUESTION 4

Refer to the exhibit.

```
import json
import requests

USER = "admin"
PASS = "Cisco12345"
TENANT_ID = "132"
TAG_ID = "24"
BASE_URL = "https://198.18.128.136"
CREDENTIALS = {'password': PASS, 'username': USER}
DMZ_IP = "198.18.128.147"
HEADERS = {'Content-type': 'application/json', 'Accept': 'application/json'}

session = requests.Session()
session.post(BASE_URL+"/token/v2/authenticate", data= CREDENTIALS, verify=False)

TAG_URL=BASE_URL+"/smc-configuration/rest/v1/tenants/{0}/tags/{1}".format(TENANT_ID, TAG_ID)

tag_session = session.get(url=TAG_URL, verify=False).content.decode()
```

A network operator wants to add a certain IP to a DMZ tag. Which code segment completes the script and achieves the goal?

- A. 

```
tag_data = json.dumps(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```
- B. 

```
tag_data = json.loads(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=tag_data, headers=HEADERS, verify=False)
```
- C. 

```
tag_data = json.dumps(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, data=json.loads(tag_data), headers=HEADERS, verify=False)
```
- D. 

```
tag_data = json.loads(tag_session) ['data']
tag_data['ranges'].append(DMZ_IP)
session.put(TAG_URL, json=tag_data, headers=HEADERS, verify=False)
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

---

#### QUESTION 5

Which API capability is available on Cisco Firepower devices?

- A. Firepower Management Center - Sockets API
- B. Firepower Management Center - eStreamer API
- C. Firepower Management Center - Camera API
- D. Firepower Management Center - Host Output API

Correct Answer: B

[300-735 PDF Dumps](#)

[300-735 VCE Dumps](#)

[300-735 Practice Test](#)