

300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-735.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

DRAG DROP

Drag and drop the items to complete the pxGrid script to retrieve all Adaptive Network Control policies. Assume that username, password, and base URL are correct. Not all options are used.

Select and Place:

```
import base64
import json
import requests

USER = "admin"

PASS = "Cisco1234"

HEADERS = {"Content-Type": "application/json"}

URL = 'https://10.10.20.50:8910/pxgrid/control/  '

b64_pass = base64.b64encode((USER + ':' + PASS).encode()).decode()

HEADERS['Authorization'] = 'Bearer +b64_pass

request = requests.  (url=URL, headers=HEADERS)
```

getPolicies

adaptive

getControl

control

post

get

Correct Answer:

```
import base64
import json
import requests

USER = "admin"

PASS = "Cisco1234"

HEADERS = {"Content-Type": "application/json"}

URL = 'https://10.10.20.50:8910/pxgrid/control/ getPolicies '

b64_pass = base64.b64encode((USER + ':' + PASS).encode()).decode()

HEADERS['Authorization'] = 'Bearer +b64_pass

request = requests. get (url=URL, headers=HEADERS)
```

	adaptive	getControl
control	post	

Reference: <https://developer.cisco.com/docs/pxgrid/#!retrieving-all-anc-polices/java-sample-code>

QUESTION 2

If the goal is to create an access policy with the default action of blocking traffic, using Cisco Firepower Management Center REST APIs, which snippet is used?

- A. - API PATH:
`/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies`
- METHOD:
POST
- INPUT JSON:
{
 "type": "AccessPolicy",
 "name": "AccessPolicy-test-1",
 "defaultAction": {
 "action": "BLOCK"
 }
}
- B. - API PATH:
`/api/fmc_config/v1/domain/<domain_uid>/object/securityzones`
- METHOD:
POST
- INPUT JSON:
{
 "type": "AccessPolicy",
 "name": "AccessPolicy-test-1",
 "defaultAction": {
 "action": "BLOCK"
 }
}
- C. - API PATH:
`/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies`
- METHOD:
PUT
- INPUT JSON:
{
 "type": "AccessPolicy",
 "name": "AccessPolicy-test-1",
 "defaultAction": {
 "action": "BLOCK"
 }
}

D.

```
- API PATH:  
/api/fmc_config/v1/domain/<domain_uid>/object/accesspolicies  
  
- METHOD:  
POST  
  
- INPUT JSON:  
{  
  "type": "AccessPolicy",  
  "name": "AccessPolicy-test-1",  
  "action": "FASTPATH"  
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 3

Refer to the exhibit.

```
import json  
import requests  
  
BASE_URL = "https://investigate.api.umbrella.com"  
HEADERS = {"Authorization": "Bearer %YourToken%"}  
  
---MISSING CODE---  
  
request= requests.get(URL, parmas= PARAMS,  
verify=False)
```

A network operator must create a Python script that makes an API request to Cisco Umbrella to do a pattern search and return all matched URLs with category information. Which code completes the script?

A. URL = BASE_URL + "/find/exa[a-z]ple.com"

PARAMS = { "categoryinclude" : "true" }

B. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "returncategory" : "true" }

C. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "includeCategory" : "true" }

D. URL = BASE_URL + "/find/exa[a-z]ple.com" PARAMS = { "returnCategory" : "true" }

Correct Answer: D

QUESTION 4

A developer has just completed the configuration of an API that connects sensitive internal systems. Based on company policies, the security of the data is a high priority.

Which approach must be taken to secure API keys and passwords?

A. Embed them directly in the code.

B. Store them in a hidden file.

C. Store them inside the source tree of the application.

D. Change them periodically.

Correct Answer: D

QUESTION 5

Which description of synchronous calls to an API is true?

A. They can be used only within single-threaded processes.

B. They pause execution and wait for the response.

C. They always successfully return within a fixed time.

D. They can be used only for small requests.

Correct Answer: B

[Latest 300-735 Dumps](#)

[300-735 Study Guide](#)

[300-735 Exam Questions](#)