

300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-735.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which API is used to query if the domain "example.com" has been flagged as malicious by the Cisco Security Labs team?

- A. <https://s-platform.api.opendns.com/1.0/events?example.com>
- B. <https://investigate.api.umbrella.com/domains/categorization/example.com>
- C. <https://investigate.api.umbrella.com/domains/volume/example.com>
- D. <https://s-platform.api.opendns.com/1.0/domains?example.com>

Correct Answer: B

QUESTION 2

DRAG DROP

Drag and drop the code to complete the curl query to the Umbrella Reporting API that provides a detailed report of blocked security activity events from the organization with an organizationId of "12345678" for the last 24 hours. Not all options are used.

Select and Place:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ ] /  
[ ] / [ ]
```

- | | |
|--------------------------|-------------------|
| 12345678 | security-activity |
| security-activity-events | organizations |
| organizationId | security-events |

Correct Answer:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ organizations /  
organizationId / security-activity
```

```
12345678  
security-activity-events  
security-events
```

Reference: <https://docs.umbrella.com/umbrella-api/docs/security-activity-report>

QUESTION 3

Refer to the exhibit. A network operator wrote a Python script to retrieve events from Cisco AMP.

```
import requests  
CLIENT_ID = 'a1b2c3d4e5f6g7h8i9j0'  
API_KEY = 'a1b2c3d4-e5f6-g7h8-i9j0-k112m3n4o5p6'  
----MISSING CODE----  
URL = BASE_URL+'v1/events'  
request = requests.get(url, auth=(amp_client_id, amp_api_key))
```

Against which API gateway must the operator make the request?

- A. BASE_URL = "https://api.amp.cisco.com"
- B. BASE_URL = "https://amp.cisco.com/api"
- C. BASE_URL = "https://amp.cisco.com/api"
- D. BASE_URL = "https://api.amp.cisco.com/"

Correct Answer: A

QUESTION 4

Refer to the exhibit.

```
import requests

URL = 'https://sma.cisco.com:6080/sma/api/v2.0/quarantine/messages/details?quarantineType=spam&device_type=esa'
HEADERS = {'Authorization': 'Basic Y2hlcGFLYWJSQSize'}

response = requests.get(URL, headers=HEADERS)
```

A security engineer attempts to query the Cisco Security Management appliance to retrieve details of a specific message. What must be added to the script to achieve the desired result?

- A. Add message ID information to the URL string as a URI.
- B. Run the script and parse through the returned data to find the desired message.
- C. Add message ID information to the URL string as a parameter.
- D. Add message ID information to the headers.

Correct Answer: C

QUESTION 5

Which two API capabilities are available on Cisco Identity Services Engine? (Choose two.)

- A. Platform Configuration APIs
- B. Monitoring REST APIs
- C. Performance Management REST APIs
- D. External RESTful Services APIs
- E. Internal RESTful Services APIs

Correct Answer: BD

[Latest 300-735 Dumps](#)

[300-735 VCE Dumps](#)

[300-735 Braindumps](#)