

300-835^{Q&As}

Automating Cisco Collaboration Solutions (CLAUTO)

Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-835.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

An existing user (identified by userId) needs to be allowed to host Webex meetings. Which API call is used to assign the new license?

- A. PUT /license/{userId}
- B. POST /people/{userId}
- C. PUT /people/{userId}
- D. POST /license/{userId}

Correct Answer: C

QUESTION 2

When a Webex site has single-sign-on enabled, which type of data is required in the body element of an AuthenticateUser XML API Request?

- A. Webex username and password
- B. Webex Teams OAuth access token
- C. JWT token
- D. BOT access token

Correct Answer: B

QUESTION 3

```
1 POST /WBXService/XMLService/LstsummaryUser HTTP/1.1
2 Content-Type: application/xml
3 Host: api.webex.com
4 Content-Length: 974
5
6 <?xml version="1.0" encoding="UTF-8"?>2 <serv:message xmlns:serv="http://www.webex.com/schemas/2002/06/service"
7   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
8   <header>
9     <securityContext>
10       <siteName>apidemoeu</siteName>
11       <webExID>janedoe@example.com</webExID>
12       <sessionTicket>AAABb5LTcGcAABUYA0gAKEgyU</sessionTicket>
13     </securityContext>
14     <action>java:com.webex.service.binding.meeting.LstsummaryUser</action>
15   </header>
16   <body>
17     <method>java:com.webex.service.binding.meeting.LstsummaryUser</method>
18     <bodyContent xsi:type="java:com.webex.service.binding.meeting.LstsummaryUser">
19       <webExId>{{WEBEXID}}</webExId>
20     </bodyContent>
21   </body>
22 </serv:message>
```

Refer to the exhibit. A Webex Meetings XML API HTTP request message with several invalid portions is shown. Which reference points to a line in the exhibit that correctly indicates that this is a LstsummaryUser request?

- A. line 17
- B. line 1
- C. line 18
- D. line 14

Correct Answer: B

QUESTION 4

```
<?xml version="1.0"?>
<inboundDialPlanRules total="3">
  <inboundDialPlanRule id="eedeeca5-c73b-441e-bc5a-71d9b256180b">
    <domain>cms.heleus.lab</domain>
    <priority>100</priority>
  </inboundDialPlanRule>
  <inboundDialPlanRule id="647511a0-0c7d-484f-8796-ee52dd3128f1">
    <domain>space.heleus.lab</domain>
    <priority>2</priority>
  </inboundDialPlanRule>
  <inboundDialPlanRule id="2c5662ab-7e5a-45a8-a133-5f4d6c6cb509">
    <domain>cms.lab</domain>
    <priority>1</priority>
  </inboundDialPlanRule>
</inboundDialPlanRules>
```

Refer to the exhibit. Which API call made to Cisco Meeting Server removes the inbound dial plan rule matching cms.lab domain?

- A. DELETE to /api/v1/inboundDialPalnRules/ with body attribute id="2c5662ab-7e5a-45a8-a133-5f4d6c6cb509".
- B. DELETE to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509.
- C. PUT to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509 with body attribute delete="True".
- D. PUT to /api/v1/inboundDialPalnRules/2c5662ab-7e5a-45a8-a133-5f4d6c6cb509.

Correct Answer: A

QUESTION 5

DRAG DROP

Drag drop the code to create a valid AXL API script to create a new Route Partition, using the Python Zeep library. Not all options are used.

Select and Place:

Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth. [ ] ('Administrators', 'ciscopsdt')

client = Client(wsdl = ' [ ] ', transport = Transport(session=session))

service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',
                                'https://ds-ucm1251.cisco.com [ ] ')

data = {
    'name': 'Secure Lab'
}

resp = service. [ ] (data)
```

- [:8443/axl/]
- [AXLAPI.wsdl]
- [AXLSoap.xsd]
- [HTTPDigestAuth]
- [HTTPBasicAuth]
- [createPartition]
- [addRoutePartition]
- [/axlapi]

Correct Answer:

Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth. [ HTTPBasicAuth ] ('Administrators', 'ciscopsdt')

client = Client(wsdl = ' [ AXLAPI.wsdl ] ', transport = Transport(session=session))

service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',
                                'https://ds-ucm1251.cisco.com [ :8443/axl/ ] ')

data = {
    'name': 'Secure Lab'
}

resp = service. [ addRoutePartition ] (data)
```

- [AXLSoap.xsd]
- [HTTPDigestAuth]
- [createPartition]
- [/axlapi]

[Latest 300-835 Dumps](#)

[300-835 VCE Dumps](#)

[300-835 Practice Test](#)