

# 300-915<sup>Q&As</sup>

Developing Solutions using Cisco IoT and Edge Platforms (DEVIOT)

## Pass Cisco 300-915 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-915.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



### QUESTION 1

Which two statements define the mechanism for console access of the Guest Operating System from the Cisco IR829 router? (Choose two.)

- A. The Guest OS can be accessed by default on Telnet port 2070 from the Cisco IR829 console.
- B. The Guest OS console is available directly by the AUX port 3362 from the Cisco IR829 router.
- C. The Guest OS can be accessed directly using the console port on the Cisco IR829 router.
- D. The Guest OS can be accessed by initiating SSH from the Cisco IR829 console.
- E. The Guest OS console is available only when a static IP is configured on the host.

Correct Answer: AD

---

### QUESTION 2

Which lightweight protocol is used to send data from the edge compute resources to the cloud?

- A. MQTT
- B. XMPP
- C. AMQP
- D. MT Connect

Correct Answer: A

---

### QUESTION 3

The environment for an Industrial IoT project in a large open pit mine is being scoped. The location has a large amount of dust and the device will be exposed to less than 1 meter of water temporarily.

When the edge device is being chosen, which Ingress protection rating must be used?

- A. IP37
- B. IP61
- C. IP67
- D. IP76

Correct Answer: C

---

### QUESTION 4

Which computer security concept is violated when a web server is written that uses the "root" account for all interactions with a Linux system?

- A. principle of least privilege
- B. PermitRootLogin
- C. certificate-based authentication
- D. RBAC

Correct Answer: A

---

#### QUESTION 5

After an application is deployed, potential issues arise around connectivity. As part of the troubleshooting process, the IP address must be determined to ensure end-to-end communication.

Which method provides the required details using the Cisco IOx CLI?

- A. ioxclient application status
- B. ioxclient application metrics
- C. ioxclient application getconfig
- D. ioxclient application info

Correct Answer: D

[300-915 PDF Dumps](#)

[300-915 Study Guide](#)

[300-915 Braindumps](#)