

300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices
(DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/300-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

```
1  /**
2  * A small In-Room controls panel with 4 quick dial numbers
3  */
4  const xapi = require('xapi');
5
6  //These match the widget ids of the In-Room control buttons
7  const numbers = {
8      dial_catering: 'catering@example.com',
9      dial_it_support: 'itsupport@example.com',
10     dial_taxi: 'taxi@example.com',
11     dial_reception: 'reception@example.com',
12 },
13
14 function dial(number) {
15     xapi.command('call', {Number:number});
16 }
17
18 function listenToGui() {
19     xapi.event.on('UserInterface Extensions Widget Action', (event)=> {
20         if (event.Type === 'clicked') {
21             const number = numbers[event.WidgetId];
22             if(number) dial(number);
23             else console.log('Unknown button pressed', event.WidgetId);
24         }
25     });
26 }
```

Severity ▾ Enter filter Show history

```
22:38:35 [system] > Starting macros...
22:38:35 Quick dial > Loading...
22:38:36 Quick dial > Ready!
22:38:36 Quick dial > 'Unhandled promise rejection' {code: 3,
message: 'Ambiguous command',
data: {xpath: '/Call'} }
```

Refer to the exhibit. An end user reports that the speed dial button is not working on their Webex Device, and when loading into the Macro Editor, this error was presented. On which line is the incorrect syntax?

- A. line 4
- B. line 14
- C. line 15
- D. line 22

Correct Answer: C

Reference: <https://community.cisco.com/t5/telepresence-and-video/ce9-2-1-macro-framework-discussions/td-p/3220093>

QUESTION 2

Which element is needed to build a Web application that authenticates Webex users and can post messages under the user's identity?

- A. OAuth integration configured with the `messages_write` scope
- B. bot access token
- C. Guest Issuer application
- D. self-signed certificate that is created from a public authority

Correct Answer: A

Reference: <https://developer.webex.com/blog/real-world-walkthrough-of-building-an-oauth-webex-integration>

QUESTION 3

Which two tasks should use a Webex bot instead of a Webex integration? (Choose two.)

- A. Ask a question in natural language to obtain the current price of a stock.
- B. Translate a word or phrase from Italian to English.
- C. Notify all users who send a 1:1 message that the user is currently out of the office.
- D. Automatically delete a message that was sent with spelling or grammatical errors.
- E. Archive all the messages in a group space.

Correct Answer: AB

Reference: <https://developer.webex.com/docs/bots>

QUESTION 4

DRAG DROP

Drag and drop the definitions from the left onto the correct Webex Teams REST API HTTP response status codes on the right.

Select and Place:

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.	401
The request to a resource used an unsupported HTTP request method.	403
Authentication credentials were missing or incorrect.	405
The request is understood but has been refused, or access is not allowed.	429

Correct Answer:

Authentication credentials were missing or incorrect.

The request is understood but has been refused, or access is not allowed.

The request to a resource used an unsupported HTTP request method.

Too many requests have been sent in a given amount of time, and the request has been rate limited. A Retry-After header that specifies how many seconds you need to wait before a successful request can be made should be present.

Reference: <https://developer.webex.com/docs/api/basics>

QUESTION 5

DRAG DROP

Create a Membership

Add someone to a room by Person ID or email address; optionally making them a moderator.

POST /v1/memberships

Body Parameters

roomId
string **Required**
The room ID.

personID
string
The person ID.

personEmail
string
The email address of the person

isModerator
boolean
Whether or not the participant is a room moderator

Refer to the exhibit. Drag and drop the code on the snippet to add the user with email "alice@example.com" as moderator of the space with the identifier "987654321".

Select and Place:

```
curl -s -X [ ] "https://api.ciscospark.com/v1/[ ]" \
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1eb65fdf-ad72cae0e10f" \
-H "Content-Type: application/json" \
-d "raw '{[ ] \"987654321\" [ ] \"alice@example.com\" \"isModerator\" [ ]}'"
```

[personEmail] [true] [POST] [memberships] [roomId]

Correct Answer:

```
curl -s -X POST "https://api.ciscopark.com/v1/memberships" \
-H "Authorization: Bearer MDMYZTM1YTA_Pf84_1eb65fdf-ad72cae0e10f" \
-H "Content-Type: application/json" \
--data-raw '{"roomId": "987654321", "personEmail": "alice@example.com", "isModerator": true}'
```

[300-920 Study Guide](#)

[300-920 Exam Questions](#)

[300-920 Braindumps](#)