

303-200^{Q&As}

LPIC-3 Exam 303: Security, version 2.0

Pass Lpi 303-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/303-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which DNS label points to the DANE information used to secure HTTPS connections to [https:// www.example.com/](https://www.example.com/)?

- A. example.com
- B. dane.www.example.com
- C. soa.example.com
- D. www.example.com
- E. _443_tcp.www.example.com

Correct Answer: E

QUESTION 2

Which of the following information, within a DNSSEC- signed zone, is signed by the key signing key?

- A. The non-DNSSEC records like A, AAAA or MX.
- B. The zone signing key of the zone.
- C. The RRSIG records of the zone.
- D. The NSEC or NSEC3 records of the zone.
- E. The DS records pointing to the zone.

Correct Answer: B

QUESTION 3

What is the purpose of IP sets?

- A. They group together IP addresses that are assigned to the same network interfaces.
- B. They group together IP addresses and networks that can be referenced by the network routing table.
- C. They group together IP addresses that can be referenced by netfilter rules.
- D. They group together IP and MAC addresses used by the neighbors on the local network.
- E. They group together IP addresses and user names that can be referenced from `/etc/hosts.allow` and `/etc/hosts.deny`.

Correct Answer: C

QUESTION 4

Which of the following DNS record types can the command `dnssec-signzone` add to a zone? (Choose THREE correct answers.)

- A. ASIG
- B. NSEC
- C. NSEC3
- D. NSSIG
- E. RRSIG

Correct Answer: BCE

QUESTION 5

Which of the following commands adds a new user `usera` to FreeIPA?

- A. `useradd usera --directory ipa --gecos *User A"`
- B. `ldap- useradd --H ldaps:jjipa-server CN=UserA --attribs "Firstname: User: Lastname: A"`
- C. `ipa-admin create user --account usera -_fname User --iname A`
- D. `ipa user-add usera --first User --last A`
- E. `ipa-user- add usera --name "User A"`

Correct Answer: D

[Latest 303-200 Dumps](#)

[303-200 Practice Test](#)

[303-200 Study Guide](#)