

3101^{Q&As}

Avaya Aura® Communication Manager and CM Messaging -
Embedded Maintenance and Troubleshooting Exam

Pass Avaya 3101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/3101.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In addition to consulting Avaya Aura® Communication Manager Server Alarms (03-602798) for interpreting the Server Alarms section of the Current Alarms Page as shown in the exhibit, what other information source helps interpret these alarms?



- A. Status Summary page (SMI)
- B. SAT: display alarms command
- C. Server manufacture's maintenance documentation
- D. SAT: display events command

Correct Answer: B

QUESTION 2

A mailbox must have a valid entry in the Type Field. Which four options can you use In the Type field for a subscriber mailbox?

- A. Call Answer, None, Broadcast, Auto-Attendant
- B. Auto-Attendant, Guest mailbox, None, Bulletin-Board
- C. Bulletin-Board, None, Announcement-control, Auto-Attendant
- D. None, Call Answer, Bulletin-board, Auto-Attendant

Correct Answer: D

Explanation:

QUESTION 3

A subscriber is not able to receive new messages. The voice messaging administrator checks the system and notices a large number of threshold exceptions for the subscriber. The administrator needs to resolve the threshold warnings and enable the subscriber's mailbox to receive new message without affecting existing messages.

What would you recommend to the voice messaging administrator?

- A. Log into the system using Profile 18 and Increase the mailbox space on the Subscriber or COS.
- B. Log into the system using Profile 18 and decrease the message retention time on the Subscribers or COS screens.
- C. Log Into the system using Profile 19 and increase the message retention time on the Subscribers or COS screens.
- D. Log into the system using profile 19 and decrease the message retention time on the Subscriber or COS screens.

Correct Answer: A

QUESTION 4

Telephone bills indicate an unusual level of usage of outbound traffic on the inbound-only trunk. Which command would you use to validate that calls are not being made on the inbound trunk group only?

- A. list trace tac
- B. List measurement route-pattern
- C. List measurements trunk-group
- D. List measurements call-rate

Correct Answer: C

Page 164 Avaya AuraTM Communication Manager Reports

QUESTION 5

In Which three places can you look up the branch gateway firmware version? (Choose three)

- A. System Management Interface (SMI)
- B. GUI Device Manager
- C. System Access Terminal (SAT)
- D. Gateway command line
- E. Linux command line

Correct Answer: BCD

[3101 VCE Dumps](#)

[3101 Exam Questions](#)

[3101 Braindumps](#)