

312-50V7^{Q&As}

Ethical Hacking and Countermeasures (CEHv7)

Pass EC-COUNCIL 312-50V7 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/312-50v7.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EC-COUNCIL Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

When does the Payment Card Industry Data Security Standard (PCI-DSS) require organizations to perform external and internal penetration testing?

- A. At least once a year and after any significant upgrade or modification
- B. At least once every three years or after any significant upgrade or modification
- C. At least twice a year or after any significant upgrade or modification
- D. At least once every two years and after any significant upgrade or modification

Correct Answer: A

QUESTION 2

A company has made the decision to host their own email and basic web services. The administrator needs to set up the external firewall to limit what protocols should be allowed to get to the public part of the company's network. Which ports should the administrator open? (Choose three.)

- A. Port 22
- B. Port 23
- C. Port 25
- D. Port 53
- E. Port 80
- F. Port 139
- G. Port 445

Correct Answer: CDE

QUESTION 3

While investigating a claim of a user downloading illegal material, the investigator goes through the files on the suspect's workstation. He comes across a file that is just called "file.txt" but when he opens it, he finds the following: What can he infer from this file?

```
#define MAKE_STR_FROM_RET(x)
(((x)&0xff),(((x)&0xff00)>>8),(((x)&0xff0000)>>16),(((x)&0xff000000)>>24)
char infin_loop[] = /* for testing purposes */ "\xEB\xFE"; char bsdcode[] = /* Lam3rZ
chroot() code by venglin */
"\x31\xc0\x50\x50\x50\xb0\x7e\xcd\x80\x31\xdb\x31\xc0\x43"
"\x43\x53\x4b\x53\x53\xb0\x5a\xcd\x80\xeb\x77\x5e\x31\xc0"
"\x8d\x5e\x01\x88\x46\x04\x66\x68\xff\xff\x01\x53\x53\xb0"
"\x88\xcd\x80\x31\xc0\x8d\x5e\x01\x53\x53\xb0\x3d\xcd\x80"
"\x31\xc0\x31\xdb\x8d\x5e\x08\x89\x43\x02\x31\xc9\xfe\xc9"
"\x31\xc0\x8d\x5e\x08\x53\x53\xb0\x0c\xcd\x80\xfe\xc9\x75"
"\xf1\x31\xc0\x88\x46\x09\x8d\x5e\x08\x53\x53\xb0\x3d\xcd"
"\x80\xfe\x0e\xb0\x30\xfe\xc8\x88\x46\x04\x31\xc0\x88\x46"
"\x07\x89\x76\x08\x89\x46\x0c\x89\xf3\x8d\x4e\x08\x8d\x56"
"\x0c\x52\x51\x53\x53\xb0\x3b\xcd\x80\x31\xc0\x31\xdb\x53"
"\x53\xb0\x01\xcd\x80\xe8\x84\xff\xff\xff\xff\x01\xff\xff\x30"
"\x62\x69\x6e\x30\x73\x68\x31\x2e\x2e\x31\x31\x76\x65\x6e"
"\x67\x6c\x69\x6e"; static int magic[MAX_MAGIC],magic_d[MAX_MAGIC]; static
char *magic_str=NULL; int before_len=0;
```

- A. A picture that has been renamed with a .txt extension
- B. An encrypted file
- C. An encoded file
- D. A buffer overflow

Correct Answer: D

QUESTION 4

This tool is widely used for ARP Poisoning attack. Name the tool.

Status	IP address	MAC address	Packets ->	<- Packets	MAC address	IP address
Poisoning	192.168.██	00215██	0	0	0006B██	192.168.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	202.53.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	217.160.██
Half-routing	192.168.██	00215A██	3	0	0006B13██	91.195.██
Full-routing	192.168.██	00215A██	3	2	0006B13██	74.208.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	74.208.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	87.106.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	91.195.██
Full-routing	192.168.██	00215A██	2	2	0006B13██	217.160.██

- A. Cain and Able
- B. Beat Infector
- C. Poison Ivy
- D. Webarp Infector

Correct Answer: A

QUESTION 5

Which of the following is NOT part of CEH Scanning Methodology?

- A. Check for Live systems
- B. Check for Open Ports
- C. Banner Grabbing
- D. Prepare Proxies
- E. Social Engineering attacks
- F. Scan for Vulnerabilities
- G. Draw Network Diagrams

Correct Answer: E

[312-50V7 PDF Dumps](#)

[312-50V7 Study Guide](#)

[312-50V7 Exam Questions](#)