350-029^{Q&As}

CCIE Service Provider written

Pass Cisco 350-029 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/350-029.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What is the recommended codepoint as per the RFC 2598 "An Expedited Forwarding PHB" for a packet to receive expedited forwarding PHB?

A. 101111

B. 101110

C. 111111

D. 110111

E. 101101

F. 110110

Correct Answer: B

QUESTION 2

A router is unable to route packets over a PPPoE link. What could be the cause of this issue?

A. incorrect IPCP connection for the agreed-upon IP address

B. incorrect dialer map profile

C. incorrect username of the PPP connection

D. incorrect access list

Correct Answer: B

QUESTION 3

Having the above BGP peerings, select the two configurations for rtrB that will fulfill the following criteria: -Will advertise all routes from rtrA to rtrD but not to rtrC -Will advertise the routes from rtrD to rtrC

A. router bgp 2 neighbor 1.1.1.1 remote-as 1 neighbor 1.1.1.1 route-map rtrA in ! route-map rtrA permit 10 set community no-advertise !

B. router bgp 2 neighbor 1.1.1.1 remote-as 1 neighbor 1.1.1.1 route-map rtrA in ! route-map rtrA permit 10 set community no-export !

C. router bgp 2 neighbor 1.1.1.1 remote-as 1 neighbor 1.1.1.1 route-map rtrA in neighbor 3.3.3.3 remote-as 3 neighbor 3.3.3.3 route-map rtrC out ! route-map rtrA permit 10 set community 5 ! route-map rtrC permit 10 match community 5 !

D. router bgp 2 neighbor 1.1.1.1 remote-as 1 neighbor 1.1.1.1 route-map rtrA in neighbor 3.3.3.3 remote-as 3 neighbor 3.3.3.3 route-map rtrC out ! route-map rtrA permit 10 set community 5 ! route-map rtrC permit 10 match community 5 ! route-map rtrC permit 20 !

Correct Answer: BD

QUESTION 4

A network engineer is asked to monitor the VPLS services using IP LSP traceroute and ping. Which feature should be used to achieve this goal?

A. MPLS OAM

B. IP SLA

C. PW

D. AToM

Correct Answer: A

QUESTION 5

Which two VPN Inter-AS options require the no bgp default route-target filter command? (Choose two.)

A. MPLS VPN Inter-AS with ASBRs exchanging VPN-IPv4 addresses

B. MPLS VPN Inter-AS with ASBRs exchanging IPv4 routes and MPLS labels

C. MPLS VPN Inter-AS Option AB

D. MPLS VPN Carrier Supporting Carrier using LDP and IGP

E. MPLS VPN Carrier Supporting Carrier with BGP

F. MPLS VPN eBGP multipath support for CSC

Correct Answer: AC

[350-029 PDF Dumps](#)   [350-029 VCE Dumps](#)   [350-029 Study Guide](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: