

350-401^{Q&As}

Implementing and Operating Cisco Enterprise Network Core Technologies (ENCOR) & CCIE Enterprise Infrastructure & CCIE Enterprise Wireless

Pass Cisco 350-401 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-401.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What are two common sources of interference for WI-FI networks? (Choose two.)

- A. radar
- B. LED lights
- C. rogue AP
- D. conventional oven
- E. fire alarm

Correct Answer: AC

It includes many different types of radio communication, such as low-frequency radio, AM radio, shortwave radio, television, FM radio, microwave, and radar. The microwave category also contains the two main frequency ranges that are used for wireless LAN communication: 2.4 and 5 GHz.

QUESTION 2

What is the function of vBond in a Cisco SDWAN deployment?

- A. initiating connections with SD-WAN routers automatically
- B. pushing of configuration toward SD-WAN routers
- C. onboarding of SD-WAN routers into the SD-WAN overlay
- D. gathering telemetry data from SD-WAN routers

Correct Answer: C

Orchestration plane (vBond) assists in securely onboarding the SD-WAN WAN Edge routers into the SD-WAN overlay.

References: <https://www.cisco.com/c/dam/en/us/td/docs/solutions/CVD/SDWAN/sdwan-wan-edge-onboarding-deploy-guide-2020nov.pdf>

QUESTION 3

DRAG DROP

Drag and drop the REST API authentication methods from the left onto their descriptions on the right.

Select and Place:

HTTP basic authentication	public API resource
OAuth	username and password in an encoded string
secure vault	authorization through identity provider

Correct Answer:

	secure vault
	HTTP basic authentication
	OAuth

QUESTION 4

Which activity requires access to Cisco DNA Center CLI?

- A. provisioning a wireless LAN controller
- B. creating a configuration template
- C. upgrading the Cisco DNA Center software
- D. graceful shutdown of Cisco DNA Center

Correct Answer: D

QUESTION 5

Which statement about the default QoS configuration on a Cisco switch is true?

- A. The Cos value of each tagged packet is modified
- B. Port trust is enabled
- C. The Port Cos value is 0
- D. All traffic is sent through four egress queues

Correct Answer: C

[350-401 VCE Dumps](#)

[350-401 Study Guide](#)

[350-401 Exam Questions](#)