

350-501 Q&As

Implementing and Operating Cisco Service Provider Network Core Technologies (SPCOR)

Pass Cisco 350-501 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-501.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which MPLS design attribute can you use to provide Internet access to a major customer through a separate dedicated VPN?

- A. The Internet gateway router is connected as a PE router to the MPLS backbone.
- B. The CE router supports VRF-Lite and the full BGP routing table.
- C. The Internet gateway inserts the full Internet BGP routing table into the Internet access VPN.
- D. The customer that needs the Internet access service is assigned to the same RTs as the Internet gateway.

Correct Answer: D

QUESTION 2

Which BGP attribute is used first when determining the best path?

- A. origin
- B. AS path
- C. local preference
- D. weight

Correct Answer: D

QUESTION 3

An engineer is implementing IGMP with SSM on a multicampus network that supports video streaming. Which task must the engineer perform as part of the process?

- A. Configure an RP that uses static assignments only.
- B. Configure the network to use the PIM bsr-candidate.
- C. Configure the network to use bidirectional PIM.
- D. Configure the network to use IGMPv3.

Correct Answer: D

QUESTION 4

Refer to the exhibit.

```
interface gigabitethernet1/0
xconnect 192.168.0.1 12 encapsulation mpls pw-class cisco
```

Which effect of this configuration is true?

- A. It enables MPLS on the interface.
- B. It creates a pseudowire class named cisco.
- C. It enables AToM on interface gigabitethernet1/0.
- D. It enables tagging for VLAN 12 on the interface.

Correct Answer: C

Reference: <https://community.cisco.com/t5/service-providers-documents/configuration-example-atom-any-transport-over-mpls-for-like-to/ta-p/3144810>

QUESTION 5

Which protocol is used for communication between the PCE and PCC?

- A. POP
- B. CEF
- C. PCEP
- D. ICMP

Correct Answer: C

[350-501 PDF Dumps](#)

[350-501 Practice Test](#)

[350-501 Exam Questions](#)