

# 350-701<sup>Q&As</sup>

Implementing and Operating Cisco Security Core Technologies (SCOR)

## Pass Cisco 350-701 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-701.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



### QUESTION 1

Which component of Cisco umbrella architecture increases reliability of the service?

- A. Anycast IP
- B. AMP Threat grid
- C. Cisco Talos
- D. BGP route reflector

Correct Answer: A

Anycast would increase the resiliency of the product. Reliability and resiliency are different. With Cisco Talos, the reliability of Cisco Umbrella threat detection is increased.

---

### QUESTION 2

What is the function of the crypto is a kmp key cisc406397954 address 0.0.0.0 0.0.0.0 command when establishing an IPsec VPN tunnel?

- A. It defines what data is going to be encrypted via the VPN
- B. It configures the pre-shared authentication key
- C. It prevents all IP addresses from connecting to the VPN server.
- D. It configures the local address for the VPN server.

Correct Answer: B

This command is used to configure pre-shared-key for IPsec remote access users on the Cisco router. Address is mentioned as 0.0.0.0 0.0.0.0 because the users will be connecting from random ip addresses and it is almost impossible to mention all the ip addresses. Hence, 0.0.0.0 0.0.0.0 is used to allow all public ip addresses.

---

### QUESTION 3

An engineer is implementing Cisco CES in an existing Microsoft Office 365 environment and must route inbound email to Cisco CE.. record must be modified to accomplish this task?

- A. CNAME
- B. MX
- C. SPF
- D. DKIM

Correct Answer: B

---

**QUESTION 4**

DRAG DROP

Drag and drop the security solutions from the left onto the benefits they provide on the right.

Select and Place:

Full contextual awareness	detection, blocking, tracking, analysis, and remediation to protect the enterprise against targeted and persistent malware attacks
NGIPS	policy enforcement based on complete visibility of users, mobile devices, client-side applications, communication between virtual machines, vulnerabilities, threats, and URLs
Cisco AMP for Endpoints	unmatched security and web reputation intelligence provides real-time threat intelligence and security protection
Collective Security Intelligence	superior threat prevention and mitigation for known and unknown threats

Correct Answer:

	Cisco AMP for Endpoints
	Full contextual awareness
	Collective Security Intelligence
	NGIPS

**QUESTION 5**

Which attack is commonly associated with C and C++ programming languages?

- A. cross-site scripting
- B. water holing
- C. DDoS
- D. buffer overflow

Correct Answer: D

A buffer overflow (or buffer overrun) occurs when the volume of data exceeds the storage capacity of the memory buffer. As a result, the program attempting to write the data to the buffer overwrites adjacent memory locations. Buffer overflow is a vulnerability in low level codes of C and C++. An attacker can cause the program to crash, make data corrupt, steal some private information or run his/her own code. It basically means to access any buffer outside of it's allotted memory space. This happens quite frequently in the case of arrays.

[350-701 VCE Dumps](#)

[350-701 Practice Test](#)

[350-701 Exam Questions](#)