

350-801^{Q&As}

Implementing and Operating Cisco Collaboration Core Technologies
(CLCOR)

Pass Cisco 350-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-801.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.

The screenshot shows the Cisco Unified CM Administration interface for Region configuration. The page title is "Region configuration" and it includes a "Related Links" section with a "Back to Find/List" button. Below the title bar, there are navigation tabs: System, Call Routing, Media Resources, Advanced Features, Device, Application, User Management, Bulk Administration, and Help. A toolbar contains icons for Save, Delete, Copy, Reset, Apply Config, and Add New. The main content area is divided into two sections: "Region Information" and "Region Relationships".

Region Information

Name*

Region Relationships

Region	Audio Codec Preference List Configuration	Maximum Audio Bit Rate	Maximum Session Bit Rate for Video Calls	Maximum Session Bit Rate for Immersive Video Calls
REGION1	CCNP COLLAB	60 kbps	384 kbps	2147483647 kbps
REGION2	CCNP COLLAB	64 kbps (G.722, 6.711)	Use System Default (384 kbps)	Use System Default (2900000000 kbps)
NOTE: Regions not displayed	Use System Default	Use System Default	Use System Default	Use System Default

The screenshot shows the Cisco Unified CM Administration interface for Audio Codec Preference List Configuration. The page title is "Audio Codec Preference List Configuration" and it includes a "Related Links" section with a "Back to Find/List" button. Below the title bar, there are navigation tabs: System, Call Routing, Media Resources, Advanced Features, Device, Application, User Management, Bulk Administration, and Help. A toolbar contains icons for Save, Delete, Copy, and Add New. The main content area is divided into two sections: "Status" and "Audio Codec Preference Information".

Status

i Status: Ready

Audio Codec Preference Information

Name*

Description*

Codecs in List

- G.722 48k
- G.711 U-Law 64k
- G.729 8k
- G.711 A-Law 56k

An engineer verifies the configured of an MGCP gateway. The commands are already configured. Which command is necessary to enable MGCP?

- A. Device(config)# mgcp enable

- B. Device(config)# ccm-manager enable
- C. Device (config) # com-manager active
- D. Device (config)# mgcp

Correct Answer: D

<https://www.cisco.com/c/en/us/support/docs/voice/media-gateway-control-protocol-mgcp/214635-configure-and-troubleshoot-mgcp-gateways.html>

QUESTION 2

A customer enters no ip domain lookup on the Cisco IOS XE gateway to suppress the interpreting of invalid commands as hostnames. Which command is needed to restore DNS SRV or A record resolutions?

- A. ip domain lookup
- B. ip dhcp pool
- C. ip dhcp excluded-address
- D. ip dhcp-sip

Correct Answer: A

QUESTION 3

A collaboration engineer must optimize the dial plan within Cisco UCM. There are multiple remote sites. And each site has its own route patterns and local gateways. What should the engineer do on the cisco UCM to optimize the dial plan?

- A. Configure a Standard Local Route Group to use a single route pattern for all calls within the cluster.
- B. Create a centralized dial plan with a Cisco UCM Session Management Edition cluster or a Cisco gatekeeper.
- C. Implement ILS with GDPR so the dial plan can dynamically replicate across clusters.
- D. Leverage Cisco UCM Express as SRST so the phones can have more features of each remote site

Correct Answer: A

QUESTION 4

Which two devices are supported by the Flexible DSCP Marking and Video Promotion feature? (Choose two.)

- A. MGCP devices
- B. SCCP devices

- C. pass-through MTPs
- D. H.323 trunks
- E. DX80

Correct Answer: BC

QUESTION 5

An engineer is asked to implement on-net/off-net call classification in Cisco UCM Which two components are required to implement this configuration? (Choose two)

- A. SIP trunk
- B. CTI route point
- C. route group
- D. route pattern
- E. SIP route patterns

Correct Answer: AD

[Latest 350-801 Dumps](#)

[350-801 PDF Dumps](#)

[350-801 Braindumps](#)