

350-801^{Q&As}

Implementing and Operating Cisco Collaboration Core Technologies
(CLCOR)

Pass Cisco 350-801 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/350-801.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the maximum one-way latency and jitter for voice before quality issues arise?

```
Server: Cisco-SIPgateway/100-10.8.140.23
CSeq: 101 OPTIONS
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY,
INFO, REGISTER
Allow-Events: telephone-event
Accept: application/sdp
Supported: 100rel,timer,resource-priority,replaces,sdp-anat
Content-Type: application/sdp
Content-Length: 369

v=0
o=CiscoSystemsSIP-GW-UserAgent 6414 4717 IN IP4 10.8.140.23
s=SIP Call
c=IN IP4 10.8.140.23
t=0 0
m=audio 0 RTP/AVP 18 0 8 4 15
c=IN IP4 10.8.140.23
m=image 0 udptl t38
c=IN IP4 10.8.140.23
a=T38FaxVersion:0
a=T38MaxBitRate:9600
a=T38FaxRateManagement:transferredTCF
a=T38FaxMaxBuffer:200
a=T38FaxMaxDatagram:320
a=T38FaxUdpEC:t38UDPRedundancy
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 2

What is the difference between Cisco Unified Border Element and a conventional Session Border Controller?

- A. SIP security
- B. DTMF interworking
- C. Voice policy
- D. Address hiding

Correct Answer: C

QUESTION 3

Which Cisco Unified CM service is installed by default and authenticates certificates on behalf of IP phones and other endpoints?

- A. Cisco CTL Provider
- B. Cisco Certificate Authority Proxy Function
- C. Cisco Trust Verification
- D. Cisco CallManager
- E. Cisco TFTP

Correct Answer: C

QUESTION 4

Refer to the exhibit.



An engineer configures a VoIP dial peer on a Cisco gateway. Which codec is used?

- A. G.711ulaw
- B. No codec is used (missing codec command).
- C. G.711alaw
- D. G.729r8

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/voice/dialpeer/configuration/15-mt/vd-15-mt-book/vd-dp-cfg-examp.pdf>

QUESTION 5

Refer to the exhibit. A collaboration engineer adds an analog gateway to a Cisco UCM cluster. The engineer chooses MGCP over SCCP as the gateway protocol.

```
1 CUBE_1(config)# dial-peer voice 10 voip
2 CUBE_1(config-dial-peer)# session target ipv4:10.10.11.12
3 CUBE_1(config-dial-peer)# session protocol sipv2
4 CUBE_1(config-dial-peer)# dtmf-relay rtp-nte
5 CUBE_1(config-dial-peer)# codec g729r8
6 CUBE_1(config-dial-peer)# end
7
8 CUBE_2(config)# dial-peer voice 11 voip
9 CUBE_2(config-dial-peer)# session target ipv4:10.10.11.11
10 CUBE_2(config-dial-peer)# session protocol sipv2
11 CUBE_2(config-dial-peer)# dtmf-relay rtp-nte
12 CUBE_1(config-dial-peer)# codec g729br8
13 CUBE_2(config-dial-peer)# end
```



Which two actions ensure that the gateway registers? (Choose two.)

- A. Delete and re-add the gateway configuration in Cisco UCM.
- B. Enter "mgcp" on the gateway in configuration mode.
- C. Enter "no sccp" on the gateway in configuration mode.
- D. Enter "ccm-manager config" on the gateway in configuration mode.
- E. Enter "ccm-manager mgcp" on the gateway in configuration mode.

Correct Answer: BE

Reference: <https://community.cisco.com/t5/unified-communications/cisco-router-2901-mgcp-x-callmanager-9-1-1/td-p/2419551>

[Latest 350-801 Dumps](#)

[350-801 PDF Dumps](#)

[350-801 Exam Questions](#)