



# 400-051<sup>Q&As</sup>

CCIE Collaboration Written

## Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/400-051.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two user portion format conditions are true for directory URI on Cisco Unified Communications Manager 9.1 or later? (Choose two.)

- A. It supports the \$ character.
- B. It support space between characters.
- C. It has a maximum length of 50 characters.
- D. It has a maximum length of 254 characters.
- E. It is always case-sensitive.
- F. It cannot be a directory number.

Correct Answer: AB

Cisco Unified Communications Manager supports the following formats in the user portion of a directory URI (the portion before the @ symbol):

Accepted characters are a-z, A-Z, 0-9, !, \$, %, and, \*, \_, +, ~, -, =, \, ?, \, ` , , , . /.

The user portion has a maximum length of 47 characters.

The user portion accepts percent encoding from %2[0-9A-F] through %7[0-9A-F]. For some accepted characters, Unified CM automatically applies percent encoding. See below for more information on percent encoding.

The user portion is case-sensitive or case-insensitive depending on the value of the URI Lookup Policy enterprise parameter. The default value is case-sensitive.

References:

[http://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/bat/9\\_1\\_1/CUCM\\_BK\\_C271A69D\\_00\\_cucm-bulk-administration-guide-91/CUCM\\_BK\\_C271A69D\\_00\\_cucm-bulk-administration-guide-91\\_chapter\\_01001110.html](http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/bat/9_1_1/CUCM_BK_C271A69D_00_cucm-bulk-administration-guide-91/CUCM_BK_C271A69D_00_cucm-bulk-administration-guide-91_chapter_01001110.html)

---

### QUESTION 2

In which call state does the Mobility soft key act as a toggle key to enable or disable Single Number Reach for Cisco Unified Communications Manager Express SCCP IP phones?

- A. idle
- B. seized
- C. alerting
- D. ringing
- E. connected

Correct Answer: A



Pressing the Mobility soft key during the idle call state enables the SNR feature. This key is a toggle; pressing it a second time disables SNR.

References:

[http://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucme/admin/configuration/guide/cmeadm/cmesnr.html](http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucme/admin/configuration/guide/cmeadm/cmesnr.html)

### QUESTION 3

Refer to the exhibit.

The screenshot shows two configuration windows. The left window is 'Forwarded Routing Rule' for 'Emergency Message'. It is set to 'Active' status, 'Inherit Language from Caller', and 'Send Call to' is set to 'Call Handler' with 'Emergency Message' selected. The right window is 'Edit Greeting (Standard) Emergency Message'. It is set to 'Greeting Enabled with No End Date and Time'. Under 'Callers Hear', 'System Default Greeting' is selected. Under 'After Greeting', 'Call Action' is selected with 'Route From Next Call Routing Rule' and a duration of '3000'.

Display Name	Status	Dialed Number	Calling Number	Forwarding Station	Phone System	Port	Send Call to
Emergency Message	Active						Greeting Conversation
Attempt Forward	Active						Attempt Forward
Opening Greeting	Active						Transfer Conversation

What does an outside caller hear when calling a user and forwarding to Cisco Unity Connection?

- A. The caller hears the Emergency greeting, followed by the voicemail greeting of the user they originally called.
- B. The caller hears the message "Emergency Message is not available," followed by the voicemail greeting of the user they originally called.
- C. The caller hears the emergency greeting followed by the Opening Greeting message.
- D. The caller hears the Main Message greeting and then the call is disconnected.

Correct Answer: B

### QUESTION 4



Which two fields can be used to uniquely identify the same call in the Call Detail Records and the Call Management Records? (Choose two)

- A. nodeld
- B. globalCallId\_callId
- C. callIdentifier
- D. pkid
- E. globalCallId\_ClusterId
- F. globalCallId\_callManagerId
- G. deviceName

Correct Answer: BF

---

#### QUESTION 5

Which four protocols does the Cisco Jabber client use to interact with Cisco Unity Connection? (Choose four.)

- A. IMAP
- B. SOAP
- C. XMPP
- D. REST
- E. XML
- F. JSON
- G. RTP
- H. HTTP

Correct Answer: BCGF

[Latest 400-051 Dumps](#)

[400-051 VCE Dumps](#)

[400-051 Practice Test](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.