400-101^{Q&As}

400-101^{Q&As}

CCIE Routing and Switching Written

Pass Cisco 400-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/400-101.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What is a potential effect of combining TCP traffic and UDP traffic in a single traffic queue?

A. UDP traffic can start dominating over TCP traffic.

B. This configuration will be rejected as invalid.

C. TCP and UDP flows would be scheduled fairly.

D. UDP starvation can occur

Correct Answer: A

QUESTION 2

Which information is contained in an OSPF type7 not-so-stybby area NSSA extemal LSA?

A. The paths and costs to reach other stub area border routers in the ospf routing domain.

B. The external network address mask and cost to reach networks that are extemal to the OSPF NSSA including the default route.

C. The address of routers that connect the current area to other areas and the cost to reach those routersCCIERS.

D. Extemal net work address ,mask,and cost to reach each nework that is external to the ospf domain and only within the NSSA.

E. The paths and costs to all OSPF NSSA areas that are external to the current area.

Correct Answer: D

QUESTION 3

Refer to the exhibit.


```
from socket import socket

def get_config(device, username, password):
    my_socket = socket ()
    .....
```

Which network script automation option or tool is used in the exhibit?

A. Python

B. NETCONF

C. Bash script

D. Cisco EEM

E. REST

Correct Answer: A

QUESTION 4

Which two statements about VRF-lite are true? (Choose two)

A. An isolated VRF routing table is created for each VRF.

B. A single customer VRF can support overlapping IP addresses.

C. Multiple ISP customers can be supported on one customer edge device.

D. Two or more VRFs can be assigned to a single Layer 3 interface.

E. At least one physical interface must be configured to enable a VRF.

Correct Answer: AC

QUESTION 5

Which GDOI key is responsible for encrypting control plane traffic?

A. the traffic encryption key.

B. the preshared key

C. the key encryption key

D. the key-chain.

Correct Answer: C

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: