

400-201^{Q&As}

CCIE Service Provider Written

Pass Cisco 400-201 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/400-201.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/400-201.html 2022 Latest pass4lead 400-201 PDF and VCE dumps Download

QUESTION 1

When an MPLS Layer 2 VPN	runs in the hub-and-spoke m	nodel, where is QoS implemented?

A. hub and spoke

B. PE

C. CE

D. hub

E. spoke


Correct Answer: D

QUESTION 2

Refer to the exhibit. Why does the multicast traffic go via R21 only, instead of using all the three ECMP links?

https://www.pass4lead.com/400-201.html

2022 Latest pass4lead 400-201 PDF and VCE dumps Download



A. By default, IP multicast chooses the interface that has the PM neighbor with the highest IP address as the incoming interface and then sends prunes to PIM neighbors on the other links

- B. R21 has the shortest returned path to the source as the output of the show ip rpf 111.111.111 command shows
- C. IP multicast load balances traffic only per flow-basis, at the time the engineer performed the command the path chosen was via R21. Next time the show command is performed, it will show an alternative path
- D. This behavior is not normal. The multicast traffic must be load-shared between all available paths

Correct Answer: A

QUESTION 3

```
<configScope
    dn="sys/chassis-1/blade-5/board/cpu-2"
    cookie="<real cookie>"
    response="yes">
    <outConfigs>
       cprocessorEnvStats
          dn="sys/chassis-1/blade-5/bo
          inputVoltage="0.058200"
          inputVoltageAvg="0.062080
          inputVoltageMax="0.077600"
          inputVoltageMin="02058200"
          intervals="58982460"
          suspect="no"
          temperature-"23.000000"
          temperatureAvg="23.000000"
          temperatoreMax="23.000000"
             peratureMin="23.000000"
             esholded=""
          timeCollected="2009-09-23T12:40:55"
          update="327680"/>
    </outConfigs>
</configScope>
```

Refer to the exhibit. Which data format is used in this script?

A. JavaScript

B. API

C. XML

D. YANG

Correct Answer: C

QUESTION 4

What is the main difference between the information displayed on the dspload and the dsptrkutl screens?

- A. The dspload screen is for all trunks; the dsptrkutl screen is for one trunk.
- B. The dspload screen shows the expected traffic; the dsptrkutl screen shows actual traffic.
- C. The information on the dspload screen never changes; the dsptrkutl screen is dynamic
- D. The dspload screen shows historical information; the dsptrkutl screen shows current information.

Correct Answer: B

https://www.pass4lead.com/400-201.html


2022 Latest pass4lead 400-201 PDF and VCE dumps Download

Displays both the used and available bandwidth (both in the transmit and receive directions) for each trunk at the specified node. The "transmit" direction is from the node specified and to the node at the other end of the trunk. In the screen display, the numbers of disabled trunks appear in dim, reverse video on the screen.

dsptrkutl Displays dynamic utilization information for a specified trunk. The trunk must be upped and added to use this command. The following lists the trunk utilization and terminated connection parameters included in the display. The parameter values are updated according to the specified or default interval and the screen remains displayed until the DEL key is depressed. Disabled trunks have their trunk number displayed in dim, reverse video on the screen.

QUESTION 5

Refer to the exhibit.



An MPLS-based service provider wants to deploy QoS over its backbone. Original customer QoS information must be preserved when the packet leaves the MPLS network. In addition, the egress LSR must forward packets according to the LSP Diff-Service information, as depicted in the topology. Which QoS model satisfies these requirements?

A. uniform model

B. pipe model

C. short-pipe model

D. IntServ model

Correct Answer: B

400-201 PDF Dumps

400-201 VCE Dumps

400-201 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.