Pass2Lead

https://Pass2Lead.com

4A0-104^Q&As

Alcatel-Lucent Services Architecture

Pass Alcatel-Lucent 4A0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass2lead.com/4a0-104.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Click on the exhibit button below.

Which of the following is the correct configuration on 6VPE1 for a BGP peering session with CE1?

A. PE1>config>service>vpm>bgp#info
----
        group "toCE1"
        family ipv6
        export "mbgp-bgp"
        neighbor 2001:db8:12::1
     peer-as 64497
        exit
    exit

B. PE1>config>service>vpm>bgp#info
----
        group "toCE1"
        family ipv6
        export "mbgp-bgp"
        neighbor 2001:db8:12:1
    peer-as 64496
        exit
    exit

C. PE1>config>router>bgp#info
----
        group "toCEI"
        family ipv6
        export "mbgp-bgp"
        neighbor 2001 db8:12::1
     peer-as 64497
        exit
    exit

D. PE1>config>router>bgp#info
----
        group "toCE1"
        family ipv6
        export "mbgp-bgp"
        neighbor 2001:db8:12::1
     peer-as 64496
        exit
    exit

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 2

Which of the following about VPRN labels is FALSE?

A. The outer label allows traffic to transit across the MPLS network.

B. The inner label identifies the VPRN service.

C. MP-BGP is used to signal VPRN labels.

D. The VPRN service label contains the customer\\'s IP address.

Correct Answer: D

QUESTION 3

Which of the following SAP encapsulations support multiple services on a port? (Choose three.)

A. dot1q

B. null

C. qinq

D. atm

E. ipcp

F. bcp-null

Correct Answer: ACD

QUESTION 4

Which service type is needed to bridge an ATM-attached user and an Ethernet-attached user?

A. A-pipe

B. F-pipe

C. C-pipe

D. E-pipe

Correct Answer: D

QUESTION 5

What Nokia 7750 SR OAM tool can be used to verify the end-to-end connectivity of a service?

A. Sdp-ping

B. lsp-ping

C. Svc-ping

D. Sdp-mtu

Correct Answer: C

[4A0-104 VCE Dumps](#)   [4A0-104 Practice Test](#)   [4A0-104 Study Guide](#)