

4A0-105^{Q&As}

Alcatel-Lucent Virtual Private LAN Services

Pass Alcatel-Lucent 4A0-105 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-105.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following is NOT a feature of the IEEE 802.3ah EFM standard?

- A. Discovery and auto-negotiation of OAM capabilities.
- B. Link monitoring via event notifications.
- C. Remote failure indication (RFI).
- D. Remote Loopback
- E. Latency and jitter across a service.

Correct Answer: E

QUESTION 2

What scaling factors should a network engineer be aware of when designing VPLS networks? (Choose 3)

- A. Control plane scaling.
- B. Data plane scaling.
- C. Network touches.
- D. Route table reduction.
- E. OAM tools.

Correct Answer: ABC

QUESTION 3

In RSTP, which state do all ports initialize in?

- A. Designated
- B. Discarding
- C. Listening
- D. Root
- E. Forwarding

Correct Answer: B

QUESTION 4


To reduce the amount of flooding between PE devices which of the following steps should be taken?

- A. Configure the local age timer to be larger.
- B. Configure the local age timer to be lower.
- C. Configure the remote age timer to be larger.
- D. Configure the remote age to be lower.

Correct Answer: C

QUESTION 5

Click on the exhibit below.



Which bridge will become the root bridge?

- A. Bridge B
- B. Bridge C
- C. Bridge D
- D. Bridge E

Correct Answer: D

[Latest 4A0-105 Dumps](#)

[4A0-105 Study Guide](#)

[4A0-105 Braindumps](#)