VCE & PDF
Pass4Lead.com

4A0-108$^{Q\&As}$

Alcatel-Lucent Multicast Protocols

Pass Alcatel-Lucent 4A0-108 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/4A0-108.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

SATISFACTION GUARANTEED
100%
SATISFACTION GUARANTEED

QUESTION 1

Refer to the exhibit.

```
A:RouterA# show router pim rp
PIM RP Set
======================================================================
Group Address      RP Address      Type      Priority Holdtime Expiry Time
----------------------------------------------------------------------
224.0.0.0/4        10.10.10.24     Dynamic 5          150      0d 00:01:49
239.0.0.0/8        10.10.10.66     Static  1          N/A      N/A
----------------------------------------------------------------------
Group Pr Clearer pictures and no water-mask in the Full Product
```

Which router is this screen capture taken from?

A. Any router in the PIM multicast domain

B. Only from the Candidate-RP

C. Only from the Candidate-BSR

D. Only from the elected BSR

Correct Answer: A

QUESTION 2

What is the Solicited-node multicast address for host 2001:1000:2000:3000::2001:2002:2003?

A. FF02::FF02:2003

B. FF02::FE02:2003

C. FF02::FF:FE02:2003

D. FF02::1:FF02:2003

Correct Answer: D

QUESTION 3

Which of the following multicast packets can be forwarded in the Internet?

A. A multicast packet destined to FF70::1234.

B. A multicast packet destined to FF1E::1234.

C. A multicast packet destined to FF02::1234.

D. A multicast packet destined to FF3A::1234.

Correct Answer: B

QUESTION 4

What is the advantage of using the S-PMSI over the I-PMSI in Draft Rosen?

A. The S-PMSI reduces control plane overhead because the I-PMSI is no longer needed.

B. The S-PMSI only forwards customer multicast traffic to PEs that have interested receivers.

C. The S-PMSI is required because it is the initial multicast distribution tree for the MVPN.

D. The S-PMSI encapsulates customer multicast traffic in an MPLS tunnel, which is more efficient than the GRE tunnel used by the I-PMSI.

Correct Answer: B

QUESTION 5

If the access network supports IGMP version 2 only, what additional configuration is required to enable the SSM model?

A. IGMP snooping

B. IGMP compatibility mode support

C. IGMP version 2 to IGMP version 3 translations

D. IGMP (*, G) Join to PIM (S. G) Join translation

E. PIM ASM to PIM SSM translations

Correct Answer: D

Latest 4A0-108 Dumps   4A0-108 VCE Dumps   4A0-108 Study Guide

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: