

4A0-C04^{Q&As}

Nokia NRS II Composite Exam: OSPF version

Pass Nokia 4A0-C04 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-c04.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements apply to link state protocol behavior? Choose three answers.

- A. Routers broadcast the entire route table to all neighbors.
- B. Information about directly connected links is sent to all neighbors.
- C. An adjacency database is maintained by each router.
- D. The sequence number for an update is incremented as it is flooded from router to router.
- E. The topological database is the same for all routers in a single area.

Correct Answer: BCE

QUESTION 2

Which of the following about VPRN route targets is FALSE?

- A. A route target is used to distinguish to which VRF table a prefix belongs.
- B. A route target appended to an IPv4 prefix produces a VPN-IPv4 prefix.
- C. Multiple route targets can be part of a single MP-BGP update.
- D. Route targets must be configured for VPRNs.

Correct Answer: B

QUESTION 3

What causes an adjacency to change from "Init" to "Two Way"?

- A. When a Link State Update is received in response to a Link State Request
- B. When a router receives a Hello packet from a neighbor that contains its router id in the neighbor list
- C. When OSPF neighbors exchange Database Descriptor packets
- D. When a Link State Acknowledgement is received in response to a Link State Update

Correct Answer: B

QUESTION 4

Which of the following about LDP sessions is TRUE?

- A. Frame mode requires multiple sessions between peers.

- B. The lower transport address initiates the session.
- C. Established LDP sessions run over a TCP connection.
- D. An LDP session is established immediately after Init messages are exchanged between peers.

Correct Answer: C

QUESTION 5

A static route is created using the command "static-route 2.3.4.0/24 next-hop 1.2.3.4". What is the correct traceroute command to test this static route on an Nokia 7750 SR?

- A. traceroute 2.3.4.1
- B. traceroute 2.3.4.0/24 next-hop 1.2.3.4
- C. traceroute next-hop 1.2.3.4
- D. traceroute does not work on the Nokia 7750 SR

Correct Answer: A

[Latest 4A0-C04 Dumps](#)

[4A0-C04 VCE Dumps](#)

[4A0-C04 Braindumps](#)