

4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

If the selected SGW fails, which SGW/PGW will MME select if `gateway selection mode 2` is used?

- A. A new SGW, but new PGW selection is not required
- B. A new SGW first, then select a new PGW that is topologically closest to the newly selected SGW
- C. A new SGW first, then select a new PGW with the best order and preference values
- D. The next topologically closest SGW/PGW pair

Correct Answer: A

QUESTION 2

Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

- A. Attach Request / Attach Accept
- B. Create Bearer Request / Create Bearer Response
- C. Session Management Request / Session Management Response
- D. RA-Request / RA-Answer

Correct Answer: B

Reference: <https://www.sciencedirect.com/topics/engineering/dedicated-bearer>

QUESTION 3

Which of the following statements regarding IMEI checking is FALSE?

- A. MME requests IMEI from the UE.
- B. MME receives the IMEI status from the HSS given the UE's IMEI.
- C. The IMEI status can be whitelisted, blacklisted, or greylisted.
- D. MME decides whether to reject the Attach procedure from UE based on the IMEI status.

Correct Answer: B

QUESTION 4

Which of the following MME interfaces uses a protocol OTHER than GTP-C or Diameter?

- A. S1-MME
- B. S11
- C. S6a
- D. SLg

Correct Answer: A

Reference: <https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

QUESTION 5

The DNS NAPTR records shown in the exhibit are returned to the MME during SGW/PGW selection.

If gateway selection mode 1 is used, which SGW/PGW pair is selected by the MME?

Order	Preference	Flags	Services	Replacement
200	800	"a"	x-3gpp-sgw:x-s11-gtp	topon.eth10.sgw01.pool1.nodes.3gppnetwork.org
300	500	"a"	x-3gpp-sgw:x-s11-gtp	topon.eth10.sgw02.pool2.nodes.3gppnetwork.org

Order	Preference	Flags	Services	Replacement
200	500	"a"	x-3gpp-pgw:x-s5-gtp	topon.eth5.pgw01.pool2.nodes.3gppnetwork.org
300	800	"a"	x-3gpp-pgw:x-s5-gtp	topon.eth6.pgw02.pool1.nodes.3gppnetwork.org

- A. sgw01 and pgw01
- B. sgw01 and pgw02
- C. sgw02 and pgw01
- D. sgw02 and pgw02

Correct Answer: B

[4A0-M03 PDF Dumps](#)

[4A0-M03 Practice Test](#)

[4A0-M03 Study Guide](#)