

4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which of the following statements about MME load re-balancing is TRUE?

- A. eNodeB selects an MME according to weight factors received from the MMEs in its serving pool.
- B. eNodeB selects an MME with the lowest order value in the DNS NAPTR record.
- C. MME is configured to offload some registered UEs to another MME in a different MME pool area.
- D. Affected UEs are signaled to release their S1 and RRC connections.

Correct Answer: D

Reference: <https://community.cisco.com/t5/service-providers-documents/load-balancing-and-re-balancingof-mme-and-offloading-process/ta-p/3140328>

QUESTION 2

Which of the following regarding PM is FALSE?

- A. PM counters contain system health information on a specific VM.
- B. PM counters are stored in XML format.
- C. PM counters are collected on a per-interval basis.
- D. A PM job is defined to collect PM counters.

Correct Answer: D

QUESTION 3

Given the exhibit, if GTP-C load control is used, which SGW will have the highest probability of being selected by the MME for new session requests?

Order	Preference	Flags	Services	Replacement
200	35535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw01.pool1.nodes.3gppnetwork.org
200	55535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw02.pool1.nodes.3gppnetwork.org
200	15535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw03.pool1.nodes.3gppnetwork.org
200	25535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw04.pool1.nodes.3gppnetwork.org

SGW	Calculated Relative Available Load
sgw01	55%
sgw02	15%
sgw03	20%
sgw04	10%

- A. sgw01

- B. sgw02
- C. sgw03
- D. sgw04

Correct Answer: A

QUESTION 4

Which of the following MME interfaces uses a protocol OTHER than GTP-C or Diameter?

- A. S1-MME
- B. S11
- C. S6a
- D. SLg

Correct Answer: A

Reference: <https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

QUESTION 5

Which of the following statements best defines S-TMSI?

- A. A permanent, unique identification of a mobile subscriber in the GSM/UMTS/EPS system.
- B. A network that provides mobile communication services to the public.
- C. A globally unique temporary mobile identifier used to hide the subscriber's real permanent identity.
- D. An identifier assigned by the MME that uniquely identifies a UE within an MME pool.

Correct Answer: C

[4A0-M03 VCE Dumps](#)

[4A0-M03 Practice Test](#)

[4A0-M03 Braindumps](#)