

# 500-005<sup>Q&As</sup>

Installing Cisco TelePresence Video Immersive Systems

# Pass Cisco 500-005 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/500-005.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**


After DHCP is enabled and a new TX9000 system is configured in Cisco Unified Communications Manager, the TX9000 displays an IP address of 192.168.100.2, which is not what was expected. Which of these should be verified in your troubleshooting of the issue?

- A. Your static IP address is configured.
- B. DNS is configured properly.
- C. TFTP is enabled in Cisco Unified Communications Manager.
- D. The device is configured to use SCCP.
- E. The device is on a subnet that is separate from Cisco Unified Communications Manager.
- F. DHCP is enabled in Cisco Unified Communications Manager.

Correct Answer: F

#### **QUESTION 2**

Refer to the exhibit.



After the image name was specified for the TX9000 under the Cisco Unified Communications Manager Device Defaults screen, and the TX9000 was restarted, the TX9000 failed to upgrade to Cisco TelePresence System 1.9.1. Which of these caused this issue?

- A. The image name is incorrect; it is missing the .cop extension.
- B. The image name is incorrect; it is missing the .cop.sgn extensions.



#### https://www.pass4lead.com/500-005.html

2022 Latest pass4lead 500-005 PDF and VCE dumps Download

- C. The image name should be specified under the phone load that was filed in the device configuration.
- D. The TFTP service was not restarted.
- E. The image name should be specified in the Cisco TelePresence System Administration configuration screen under Unified CM Settings.

Correct Answer: D

#### **QUESTION 3**

What is the build number for the following Cisco TelePresence System image?

cmterm-CTS.1-9-1-68R-K9.P2.cop.sgn

- A. 191
- B. 68
- C. K9
- D. 1-68R
- E. P2
- F. 68R

Correct Answer: B

#### **QUESTION 4**

Which two options cause the presentation to not show on the Active Collaboration data display and show only in PiP on the TX9000 plasma screen? (Choose two.)

- A. The Active Collaboration data display is powered off.
- B. There is a VGA cable connection to the presentation computer.
- C. There is an HDMI cabling problem from TS4 and TS1 to the LCU.
- D. The PiP button is selected in the Cisco TelePresence Touch 12.
- E. There is a data display HDMI cable connection problem to the LCU.

Correct Answer: CE



## https://www.pass4lead.com/500-005.html

2022 Latest pass4lead 500-005 PDF and VCE dumps Download

#### **QUESTION 5**

When fine-tuning the TX9000 displays for optimal performance, what is the primary factor in getting the optimal color temperature for the displays?

- A. display type
- B. viewing angles
- C. room temperature
- D. room lighting temperature
- E. display frequency

Correct Answer: D

500-005 PDF Dumps

500-005 Study Guide

500-005 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.