



# 500-006<sup>Q&As</sup>

Implementing Cisco TelePresence Video Solution

## Pass Cisco 500-006 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4lead.com/500-006.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

What will happen if you make configuration changes to a VCS peer in a cluster that is not the master?

- A. The peer will not allow the changes to be saved.
- B. The changes will propagate to other peers, including the master.
- C. The master will overwrite the changes.
- D. The peer will hold the changes but not synchronize the changes to the master.

Correct Answer: C

---

#### QUESTION 2

How do you know that all blades on the Cisco TelePresence MSE 8000 have booted correctly?

- A. The logo will light up.
- B. The lights on the fan tray will turn green.
- C. The light in the supervisor blade will turn green.
- D. Alarm lights come on.

Correct Answer: B

---

#### QUESTION 3

What information about a change can you determine from the configuration log on a Cisco TelePresence VCS?

- A. the E.164 alias of the person who made the change
- B. the IP SIP address of the person who made the change
- C. the H.323 ID of the person who made the change
- D. the username of the person who made the change

Correct Answer: D

---

#### QUESTION 4

The camera remote control is not responding. What can an engineer check in order to determine if the camera remote control or the system is causing the problem?

- A. The monitor is on the right channel.



- B. The switch inside the remote control is switched on.
- C. The light flashes on the camera when a key is pressed.
- D. The batteries are correctly placed within the remote.

Correct Answer: C

---

#### QUESTION 5

Why would an endpoint stop sending 720p in a call with a Cisco TelePresence MCU?

- A. The endpoint Ethernet speed renegotiated at half-duplex.
- B. The Cisco TelePresence MCU is using video to receive bit rate optimization to request a lower bandwidth.
- C. Another endpoint joined the conference, which brought the conference rate down.
- D. Another endpoint failed in its negotiation with the Cisco TelePresence MCU.

Correct Answer: B

[500-006 Practice Test](#)

[500-006 Study Guide](#)

[500-006 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4lead.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p><b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p><b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p><b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.