

500-052^{Q&As}

Cisco Unified Contact Center Express

Pass Cisco 500-052 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/500-052.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You should perform which three options when troubleshooting a Cisco Unified CCX engine "Java out of memory" crash? (Choose three.)

- A. Check the Cisco Unified CCX Serviceability Control Center.
- B. Collect heap dumps via the Cisco Unified Real-Time Monitoring Tool.
- C. Collect engine heap performance data via the Cisco Unified Real-Time Monitoring Tool.
- D. Check to see if the customer has installed any third-party applications.
- E. Talk to the customer about the deployment and usage pattern.

Correct Answer: BCE

QUESTION 2

Which three Cisco Unified Contact Center Express Application Administration tasks may be performed by a supervisor who does not have administrative privilege? (Choose three.)

- A. Delete a resource group.
- B. Remove a skill from a CSQ.
- C. Enable automatic work on a CSQ.
- D. Modify the skill competence level of an agent.
- E. Create a resource.
- F. Delete a skill

Correct Answer: BCD

QUESTION 3

What is the minimum package that is required to develop a custom Cisco Unified Intelligence Center report for a Cisco Unified CCX deployment?

- A. Cisco Unified CCX Premium
- B. Cisco Unified CCX Enhanced
- C. Cisco Unified Intelligence Center Premium
- D. Cisco Unified Intelligence Center Standard

Correct Answer: C

QUESTION 4

Which criterion can be used to control supervisor workflows?

- A. length of time an agent is in the NotReady state
- B. number of agents logged in
- C. number of calls abandoned
- D. duration of oldest call in queue

Correct Answer: D

QUESTION 5

Which action would you take to convert a high availability over LAN deployment to high availability over WAN?

- A. Apply a 'Warm Standby' license.
- B. Apply a 'WAN Standby' license.
- C. Do a fresh installation of the whole system as high availability over WAN.
- D. Reinstall second Cisco Unified CCX node and add it to cluster over WAN.

Correct Answer: D

[Latest 500-052 Dumps](#)

[500-052 Study Guide](#)

[500-052 Exam Questions](#)