

500-920^{Q&As}

Cisco Data Center Unified Computing Infrastructure Troubleshooting
(DCITUC)

Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/500-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

What is the likely cause of an intermittent SAN Boot fails?

- A. Misconfigured SAN boot target in the boot policy of the service profile
- B. LUN ID Mismatch
- C. FCoE used instead of FC
- D. Wrong boot order in the service profile

Correct Answer: A

QUESTION 2

What is the result of enabling the Core File Exporter in UCS Manager?

- A. A core dump file will be immediately created and transmitted using HTTP protocol
- B. A core dump must be remotely activated by Cisco TAC.
- C. A core dump will immediately be generated and will be exported
- D. If a subsequent triggering event occurs, a core dump will be generated and sent by TFTP

Correct Answer: C

QUESTION 3

Which two components are required when the integration of Cisco UCS C-series servers within a Cisco UCS Manager Direct Connect mode? (Choose two)

- A. Compatible Cisco Nexus Fabric Extenders
- B. Cisco Management Controller
- C. Compatible UCS VIC adapter installed via the server's PCIe or MLOM slot
- D. Compatible UCS 6200 or 6300 Fabric Interconnects
- E. Compatible Cisco UCS Manager version

Correct Answer: CD

QUESTION 4

Which Cisco UCS internal component maintains the UCS XML database, manages the FSM stages and operations and instructs the Application Gateway to perform operations on physical and logical elements?

- A. Cisco Data Management Engine
- B. Cisco UCS Manager
- C. Cisco Application Gateways
- D. Cisco Finite State Machine

Correct Answer: A

https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-manager/GUI-User-Guides/SystemMonitoring/3-1/b_UCSM_GUI_System_Monitoring_Guide_3_1/b_UCSM_GUI_System_Monitoring_Guide_3_1_chapter_0100.html

QUESTION 5

What is the next step after performing a UCS firmware upgrade, and downloading the latest drivers both for your RAID Controller and your Fibre Channel HBA?

Check the HCL

- A. No Drivers are needed in a UCS environment
- B. Apply the device driver update to the devices
- C. No need to do anything Drivers are automatically installed for you
- D. Test device driver compatibility

Correct Answer: D

[Latest 500-920 Dumps](#)

[500-920 VCE Dumps](#)

[500-920 Exam Questions](#)