

# 500-920<sup>Q&As</sup>

Cisco Data Center Unified Computing Infrastructure Troubleshooting  
(DCITUC)

## Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/500-920.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

When booting up a Cisco UCS Server you want to see boot time diagnostic messages of the POST, what action is required for you to do so?

- A. Enable Quiet Boot on the Server\\'s BIOS
- B. Restart the Server
- C. Disable Fast Boot on the Server\\'s BIOS
- D. Enable Quiet Boot on the Server\\'s Service Profile
- E. Disable Fast Boot on the Server\\'s Service Profile

Correct Answer: D

---

**QUESTION 2**

What occurs that causes a Split Brain Issue with Fabric Interconnects?

- A. The subordinate Fabric Interconnect detects heartbeat failure and declares itself primary
- B. Manage configuration changes made with UCS Manager
- C. A quorum tie occurs that must be resolved by the SEEPROM
- D. Both cluster links fail

Correct Answer: A

---

**QUESTION 3**

In order to create an Inband Profile for Cisco Integrated Management Controller (IMC) connectivity, what do you need to perform first?

- A. Create a Management IP Pool, a MAC Address Pool, and a VLAN Pool
- B. Create an IPMI Policy
- C. Create a Service Profile
- D. Create different VLANs, with different VLAN IDs
- E. Create a Management IP Pool, a VLAN. and a VLAN Group

Correct Answer: C

---

**QUESTION 4**

Which are two Application Gateways primary roles? (Choose two ) A. Manage configuration changes during FSM transitions

B. Communicate with virtual machines and report health and state

C. Automate updates to the XML Database

D. Communicate with end points and report their health and state

E. Manage configuration changes made with UCS Manager

Correct Answer: AC

---

#### QUESTION 5

After performing a UCS firmware upgrade, which two UCS components will require updated drivers? (Choose two )

A. VIC Cards and Fiber Channel HBAs

B. Cisco Fabric Interconnects

C. Cisco UCS Manager

D. RAID Controllers

Correct Answer: AB

[Latest 500-920 Dumps](#)

[500-920 Exam Questions](#)

[500-920 Braindumps](#)