

5V0-42.21^{Q&As}

VMware SD-WAN Design and Deploy Skills

Pass VMware 5V0-42.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/5v0-42-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

A customer has a hybrid VMware SD-WAN deployment and wants to use the SD-WAN Service Reachable feature on the private WAN.

What is the main dependency that must be met for the feature to work?

- A. Internet reachability via the private WAN
- B. Gateway IPs must be routed in the overlay
- C. Default route learned via dynamic routing
- D. Static route for gateway IPs on the edge

Correct Answer: C

QUESTION 2

Which form factor can a customer use to deploy VMware SD WAN Edge?

- A. Oracle Virtual Box
- B. Open Virtualization Appliance
- C. Docker Container
- D. Hyper-V Virtual Machine

Correct Answer: B

QUESTION 3

An Enterprise customer just acquired a new company, and the Network Enterprise administrator was tasked to integrate over 20 new branches into their existing SD-WAN network. However, these branches have overlapping IPs with the existing branches subnets.

- A. Configure a NAT hand off rule at the VMware SD WAN gateway assigned to these new branches, translating the new branch subnets into a new non-overlapping subnet
- B. Configure a LAN-side NAT rule at the branch device settings, translating its subnets into a new non-overlapping subnet
- C. Configure a NAT firewall rule in each branch, translating its subnets into a new non-overlapping subnet
- D. Configure a policy based NAT for each branch translating its subnets into a new non-overlapping subnet

Correct Answer: B

QUESTION 4

Employees with an Apple iOS device have been causing congestion on the company's internet. What should an administrator configure to target these devices when creating a Business policy for this issue?

- A. Action Priority
- B. Action Network Service
- C. Match Source
- D. Match Destination

Correct Answer: A

QUESTION 5

Which VMware SD-WAN component is responsible for overlay route distribution?

- A. VMware SD-WAN Controller
- B. VMware SD-WAN Orchestrator
- C. VMware SD-WAN Edge
- D. VMware SD-WAN Hub

Correct Answer: A

[5V0-42.21 VCE Dumps](#)

[5V0-42.21 Practice Test](#)

[5V0-42.21 Exam Questions](#)