

600-210^{Q&As}

Implementing Cisco Service Provider Mobility UMTS Networks

Pass Cisco 600-210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/600-210.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which action does an S4-SGSN take when it receives a secondary PDP context request from the UE?

- A. A bearer resource command is sent to the SGW.
- B. A create bearer request is sent to the SGW.
- C. A create session request is sent to the SGW.
- D. A create PDP context request is sent to the SGW.

Correct Answer: A

QUESTION 2

An airport is providing free one-hour mobile Internet service for passengers. At the end of the free onehour service, the PCRF sends a Diameter command to the mobile packet core to stop the free service. Which Diameter command is sent by the PCRF?

- A. CCR-U
- B. RAR
- C. CCR-T
- D. STA
- E. RAA

Correct Answer: B

QUESTION 3

Which option is the page response for a PS paging request in 2G access?

- A. service request with type "data"
- B. service request with type "page response"
- C. any uplink LLC PDU from MS/BSC
- D. any uplink BSSGP PDU from MS/BSC
- E. service request with type "signaling"

Correct Answer: C

QUESTION 4

Refer to the exhibit.

```
[local] ASR5500# show diameter peers full all
-----
Context: dia                               Endpoint: cisco
-----
Peer Hostname: peer.cisco
Local Hostname: sessmgr.cisco
Peer Realm: cisco
Local Realm: cisco
Peer Address: 172.16.196.1:3868
Local Address: 192.168.47.15:47447
State: IDLE[TCP]
CPU: 2/0                                     Task: sessmgr
Messages Out/Queued: 0/0
Supported Vendor IDs: 10415,12645
Admin Status: Enable
```

The locally configured Diameter peer does not seem to be communicating with its remote peer. Which option describes the problem?

- A. Ports are not correctly configured.
- B. No common AVP was found during capabilities exchange procedure.
- C. The transport layer connection is not established.
- D. Diameter does not support TCP as a transport protocol.

Correct Answer: C

QUESTION 5

Which option lists the contents of the flow label in a GTPv0 header?

- A. IMSI and NSAPI
- B. MSISDN and NSAPI
- C. IMEI and NSAPI
- D. IMSI and Transaction Identifier
- E. IMEI and Transaction Identifier

Correct Answer: A

[Latest 600-210 Dumps](#)

[600-210 Practice Test](#)

[600-210 Exam Questions](#)