

# 600-212<sup>Q&As</sup>

Implementing Cisco Service Provider Mobility LTE Networks

## Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass2lead.com/600-212.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Which two Diameter interfaces are used in Voice over LTE? (Choose two.)

- A. Gn
- B. Gx
- C. ISC
- D. Gi
- E. Cx
- F. Sv

Correct Answer: BE

---

**QUESTION 2**

Which MME feature can be configured in the call control policy on the Cisco ASR 5000 system?

- A. super-charger feature configuration
- B. sctp-service association
- C. direct-tunnel feature configuration
- D. RAT frequency selection priority override

Correct Answer: D

---

**QUESTION 3**

In which two ways is P-CSCF discovered by the Voice over LTE IMS client? (Choose two.)

- A. Retrieve the list of P-CSCF information that is stored locally on the IMS client.
- B. Obtain P-CSCF information from other registered IMS clients.
- C. Retrieve the list of P-CSCF information from the Mobility Management Entity.
- D. Obtain P-CSCF information in the protocol configuration options during bearer context activation.
- E. Obtain P-CSCF information from the Telephony Application Server during IMS registration.

Correct Answer: AD

---

**QUESTION 4**

Which option describes local-user accounts on the Cisco ASR 5000?

- A. The local-user account is ANSI T1.276-2003 compliant.
- B. The local-user account can be configured only in the local context.
- C. The local-user account allows for privilege-level escalation on a context level.
- D. The local-user account can be accessed only from the serial port.

Correct Answer: A

---

#### QUESTION 5

Which option describes the function of ENUM in Voice over LTE?

- A. It converts SIP URI to Telco URI.
- B. It is used for the call forwarding service.
- C. It assigns a telephone number to an IMS UE.
- D. It generates a query in the e164.arpa domain.

Correct Answer: D

[600-212 PDF Dumps](#)

[600-212 VCE Dumps](#)

[600-212 Practice Test](#)