

640-878^{Q&As}

Building Cisco Service Provider Next-Generation Network

Pass Cisco 640-878 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4lead.com/640-878.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4lead.com/640-878.html

2022 Latest pass4lead 640-878 PDF and VCE dumps Download

QUESTION 1

On Cisco IOS XR software, what is the default commit option?

A. best-effort

B. psuedo-atomic

C. replace

D. force

Correct Answer: B

commit

To commit the target configuration to the active (running) configuration, use the commit command in any configuration mode.

 $commit [best-effort] \ [comment {\it line}] \ [confirmed \ [seconds \ | minutes {\it minutes}]] \ [force] \ [label {\it line}] \ [replace] \ [save-running filename {\it file_path}]$

Syntax Description

best-effort	(Optional) Merges the target configuration with the running configuration and commits only valid changes (best effort). Some configuration changes might fail due to semantic errors.
comment line	(Optional) Assigns a comment to a commit. This text comment is displayed in the commit entry displayed in the output for the show configuration commit list command with the optional detail keyword.
confirmed [seconds minutes minutes]	(Optional) Commits the configuration on a trial basis for the time specified in seconds or minutes. Note The confirmed option is not available in administration configuration mode.
force	(Optional) Forces a commit operation in low-memory conditions.
label line	(Optional) Assigns a meaningful label. This label is displayed (instead of the autogenerated commit ID) in the output for the show configuration commit list.
replace	(Optional) Replaces the entire running configuration with the contents of the target configuration.
save-running filename file_path	(Optional) Saves the running configuration to a specified file.

Command Default

The default behavior is pseudo-atomic, meaning that all changes must succeed for the entire commit operation to succeed. If any errors are found, none of the configuration of take effect

QUESTION 2

On Cisco IOS XR software, which set of commands enables OSPF area 0 on the Gi0/0/0/0 interface that has an IPv4 IP address of 192.168.1.1/24?

A. router ospf 1 network 192.168.1.1 0.0.0.0 area 0

B. router ospf 1 network 192.168.1.1 255.255.255.255 area 0

C. router ospf 1 area 0 interface gi0/0/0/0



https://www.pass4lead.com/640-878.html

2022 Latest pass4lead 640-878 PDF and VCE dumps Download

D. router ospfv3 1 network 192.168.1.1 0.0.0.0 area 0

E. router ospfv3 1 network 192.168.1.1 255.255.255.255 area 0

F. router ospfv3 1 area 0 network 192.168.1.0

G. router ospfv3 1 area 0 interface gi0/0/0/0

Correct Answer: C

QUESTION 3

What three statements about REP configurations on a Cisco ME 3400 switch port are true? (Choose three.)

- A. The port must be an NNI type and must be in trunk mode.
- B. The rep segment number command is used to enable REP on the switch port.
- C. A REP segment cannot be wrapped into a ring topology.
- D. The port where the segment terminates is called the edge port.
- E. If a failure occurs within the segment, the blocked port goes to the forwarding state
- F. Ports are never blocked in a given segment

Correct Answer: ABD

QUESTION 4

On Cisco routers, the address-family configuration command in BGP configuration mode is used to enable which BGP feature?

- A. BGP route policy
- B. multiprotocol BGP
- C. BGP policy accounting
- D. BGP communities

Correct Answer: B

QUESTION 5

Which segment protocol provides fast and predictable convergence (typically within 50 ms) in Layer 2 Ethernet ring topologies?

- A. Spanning Tree Protocol
- B. Flex Links



https://www.pass4lead.com/640-878.html

2022 Latest pass4lead 640-878 PDF and VCE dumps Download

- C. Resilient Ethernet Protocol
- D. Spatial Reuse Protocol
- E. Resilient Packet Ring

Correct Answer: C

http://www.cisco.com/en/US/docs/switches/metro/me3400/software/release/12.2_40_se/configur ation/guide/swrep.html

Resilient Ethernet Protocol (REP) on the Cisco ME 3400E Ethernet Access switch. REP is a Cisco proprietary protocol that provides an alternative to Spanning Tree Protocol (STP) to control network loops, handle link failures, and improve convergence time. REP controls a group of ports connected in a segment, ensures that the segment does not create any bridging loops, and responds to link failures within the segment. REP provides a basis for constructing more complex networks and supports VLAN load balancing.

640-878 PDF Dumps

640-878 Practice Test

640-878 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4lead, All Rights Reserved.