VCE & PDF
Pass4Lead.com

642-515^{Q&As}

Securing Networks with ASA Advanced

Pass Cisco 642-515 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-515.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Study the exhibit below carefully. Apply the FTP inspection map named L7FTPPOLICY to the outside interface of the security appliance. Because of this configuration, which action will the security appliance take on FTP traffic entering its outside interface?


A. resets and logs connections from abc.com users when they attempt to retrieve files via FTP; resets all FTP connections from xyz.com users; resets any user connections that attempt to deliver files via FTP

B. resets and logs connections from abc.com users only when they attempt to retrieve files via FTP: resets connections from xyz.com users only when they attempt to deliver files via FTP

C. resets and logs connections from any user who attempts to retrieve files via FTP; resets connections from xyz.com users who attempt to deliver files via FTP

D. resets connections from abc.com and xyz.com users when they attempt to retrieve files via FTP; logs any user connections that attempt to deliver files via FTP

Correct Answer: A

QUESTION 2

You work as a network security administrator for your company. Now, you are asked to configure the corporate Cisco ASA security appliance to take the following steps on its outside interface:

--rate limit all IP traffic from telecommuting system engineers to the insidehost --drop all HTTP requests from the Internet to the web server that have a body length greater than 1000 bytes --prevent users on network 192.168.6.0/24 from using the FTP PUT command to store .exe files on the FTP server In order to achieve this objective, which set of Modular Policy Framework components will be included?

A. one Layer 7 class map, one Layer 7 policy map, three Layer 3/4 class maps, one Layer 3/4 policy map

B. two Layer 7 class maps, one Layer 7 policy map, three Layer 3/4 class maps, one Layer 3/4 policy map

C. one Layer 7 class map, two Layer 7 policy maps, three Layer 3/4 class maps, one Layer 3/4 policy map

D. three Layer 7 policy maps, one Layer 3/4 class map, one Layer 3/4 policy map

Correct Answer: C

QUESTION 3

What does the redundant interface feature of the security appliance accomplish?

A. to increase the number of interfaces available to your network without requiring you to add additional physical interfaces or security appliances

B. to increase the reliability of your security appliance

C. to allow a VPN client to sendIPsec-protected traffic to another VPN user by allowing such traffic in and out of the same interface

D. to facilitate out-of-band management

Correct Answer: B

QUESTION 4

Which three statements correctly describe protocol inspection on the Cisco ASA adaptive security appliance? (Choose three.)

A. The protocol inspection feature of the security appliance securely opens and closes negotiated ports and IP addresses for legitimate client-server connections through the security appliance.

B. For the security appliance to inspect packets for signs of malicious application misuse, you must enable advanced (application layer) protocol inspection.

C. If inspection for a protocol is notenabled, traffic for that protocol may be blocked.

D. If you want to enable inspection globally for a protocol that is not inspected by default or if you want to globally disable inspection for a protocol, you can edit the default global policy.

Correct Answer: ACD

QUESTION 5

You work as a network administrator for your company. Study the exhibit carefully. ASDM is short for Adaptive Security Device Manager. You are responsible for multiple remote Cisco ASA security appliances administered through Cisco ASDM. Recently, you have been tasked to configure one of these Cisco ASA security appliances for SSL VPNs and are requiring a client certificate, as shown. How will this configuration affect your next ASDM connection to this Cisco ASA security appliance?

A. You would be asked to present an identity certificate. If you did not have one, the Cisco ASA security appliance

would prompt you for authentication credentials, consisting of a username and password.

B. Your connection would be handled the way it is always handled by this Cisco ASA security appliance.

C. You would be required to have an identity certificate that the Cisco ASA security appliance can use for authentication.

D. You would be required to download the identity certificate of the remote Cisco ASA security appliance.

Correct Answer: C

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: