642-732$^{Q\&As}$

Conducting Cisco Unified Wireless Site Survey (CUWSS) v2.0

Pass Cisco 642-732 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4lead.com/642-732.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

An engineer installed a 1252 AP and is getting power from the switch. However, devices connected to the wireless network cannot get 802.11n data rates. What supported switchport protocol or standard could be the reason for this?

A. 802.3af

B. 802.3at

C. 802.1p

D. 802.11e

Correct Answer: A

QUESTION 2

You have a customer that operates a large open pit coal mine in the western United States. They need to deploy a wireless point-to-point bridge link across the mine. The distance of the link is 1.5 miles. Which three things do you need to consider prior to performing the site survey for this bridge link? (Choose three.)

A. What specific EPA training will be required prior to entering the customer site?

B. Is a specific Mine Safety and Health Administration training course and certificate required prior to entering the customer site?

C. What specific FCC training will be required prior to entering the customer site?

D. Will any specialized equipment or clothing will be required to perform the site survey?

E. Will customer escorts be needed during the site survey?

Correct Answer: BDE

QUESTION 3

What type of survey is used to assess and analyze existing wireless infrastructure?

A. passive survey

B. active survey

C. predictive survey

D. application survey

Correct Answer: A

QUESTION 4

Which three components make up a Statement of Work? (Choose three.)

A. Post-survey recommendations

B. WLAN testing information

C. A list of changes in scope

D. Survey type

E. A list and description of locations to be surveyed.

F. Confirmation of timeline and cost

G. A list of equipment required to perform network analysis

Correct Answer: DEF

QUESTION 5

What two factors could cause a post-deployment audit to show a high retransmission rate for the WLAN? (Choose two.)

A. CRC errors

B. Rate shifting

C. CCX compatible clients

D. High SNR values

E. High RSSI values

Correct Answer: AB

642-732 PDF Dumps   642-732 Study Guide   642-732 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4lead.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: